JOINERY

External	JOINERY	pos 1

development scheme

development scheme

designation sheme	209 / 243 (1)
mason measures	209cm x 243cm

description

WOODEN OAK DOOR 209X243 CM, WITH PROPERLY SEASONED FIRST CLASS OAK. LOCK WITH BRASS THREE BUTTONS CYLINDE.ON EACH DOOR MUST BE INSTALLED THREE HINGES AND ROSES, CHOSEN BY ARCHITECT OR ENGINEER IN CHARGE. FINAL COATING WITH TRANSPARENT FLATTING.

NOTE: all measures must be verified on site

	TOTAL
GROUND FLOOR	1
Σ	1

External	JOINERY	pos 7

development scheme

development scheme

designation sheme	109/100 (7)
mason measures	109cm x 100cm

description

WOODEN OAK DOOR 209X243 CM, WITH PROPERLY SEASONED FIRST CLASS OAK. LOCK WITH BRASS THREE BUTTONS CYLINDE.ON EACH DOOR MUST BE INSTALLED THREE HINGES AND ROSES, CHOSEN BY ARCHITECT OR ENGINEER IN CHARGE. FINAL COATING WITH TRANSPARENT FLATTING.

NOTE: all measures must be verified on site

	TOTAL
GROUND FLOOR	1
Σ	1

External	JOINERY	pos 9

development scheme

development scheme

designation sheme	69/87 (9)
mason measures	69cm x 87cm

description

WOODEN OAK DOOR 209X243 CM, WITH PROPERLY SEASONED FIRST CLASS OAK. LOCK WITH BRASS THREE BUTTONS CYLINDE.ON EACH DOOR MUST BE INSTALLED THREE HINGES AND ROSES, CHOSEN BY ARCHITECT OR ENGINEER IN CHARGE. FINAL COATING WITH TRANSPARENT FLATTING.

NOTE: all measures must be verified on site

	TOTAL
GROUND FLOOR	1
Σ	1