




Flood Protection Criteria for the Mekong Delta, Vietnam

The Flood Management and Mitigation Programme,
Component 2: Structural Measures & Flood Proofing
in the Lower Mekong Basin

December 2009

Draft Final Report, Volume 6D



Guide to the reporting structure of the Flood Management and Mitigation Programme - Component 2, Structural Measures and Flood Proofing

Component 2 on Structural Measures and Flood Proofing of the Mekong River Commission's Flood Management and Mitigation Programme was implemented from September 2007 till January 2010 under a consultancy services contract between MRCS and Royal Haskoning in association with Deltares and Unesco-IHE. The Implementation was in three Stages, an Inception Phase, and two implementation Stages. During each stage a series of outputs were delivered and discussed with the MRC, the National Mekong Committees and line agencies of the four MRC member countries. A part of Component 2 - on 'Roads and Floods' - was implemented by the Delft Cluster under a separate contract with MRC.

The consultancy services contract for Component 2 specifies in general terms that, in addition to a Final Report, four main products are to be delivered. Hence, the reports produced at the end of Component 2 are structured as follows:

Volume 1 Final Report

Volume 2 Characteristics of Flooding in the Lower Mekong Basin:

Volume 2A Hydrological and Flood Hazard in the Lower Mekong Basin;

Volume 2B Hydrological and Flood Hazard in Focal Areas;

Volume 2C Flood Damages, Benefits and Flood Risk in Focal Areas, and

Volume 2D Strategic Directions for Integrated Flood Risk management in Focal Areas.

Volume 3 Best Practice Guidelines for Integrated Flood Risk Management

Volume 3A Best Practice Guidelines for Flood Risk Assessment;

Volume 3B Best Practice Guidelines for Integrated Flood Risk Management Planning and Impact Evaluation;

Volume 3C Best Practice Guidelines for Structural Measures and Flood Proofing;

Volume 3D Best Practice Guidelines for Integrated Flood Risk Management in Basin Development Planning, and

Volume 3E Best Practice Guidelines for the Integrated Planning and Design of Economically Sound and Environmentally Friendly Roads in the Mekong Floodplains of Cambodia and Vietnam¹

Volume 4 Project development and Implementation Plan

Volume 5 Capacity Building and Training Plan

Demonstration Projects

Component 2 prepared five Demonstration Projects which have been reported separate from the main products:

Volume 6A Flood Risk Assessment in the Nam Mae Kok basin, Thailand;

Volume 6B Integrated Flood Risk Management Plan for the Lower Xe Bangfai basin, Lao PDR;

Volume 6C Integrated Flood Risk Management Plan for the West Bassac area, Cambodia;

Volume 6D Flood Protection Criteria for the Mekong Delta, Vietnam

Volume 6E Flood Risk Management in the Border Zone between Cambodia and Vietnam

The underlying report is **Volume 6D** of the above series.

¹ Developed by the Delft Cluster

Summary

This report presents the findings of the FMMP-C2 Demonstration Project that aims to assist Vietnam in formulating flood protection criteria for the Vietnamese part of the Mekong Delta. Since, the Mekong Delta covers a vast area, the analysis was carried out for six representative districts representing different levels of floodin and also different types of land use.

Flood Hazard

The flood hazard has been assessed with the VRSAP model, using the most up to date data on the physical representation of the existing infrastructure and boundary conditions for discharges, local rainfall, water use etc. Flood hazard has been analyzed with a historical time series of 97 years of discharges in the Mekong River at Kratie.

Flood Damages

The flood damages have been assessed through analysis of official flood damage data as is being inventoried by the districts in the Mekong Delta. The data has been categorized in three groups, damages to i) a wide range of public services facilities, referred to as Infrastructure, ii) domestic properties referred to as Housing, and ii) Agriculture, comprising also losses in aquaculture. Flood damages have first been translated into flood damage curves (for eight years of available data), the simulated historical discharge series were then subjected to the flood damage functions to produce the flood damage probability curves for each of the three damage categories (and the total)

Flood Risk

Through integration of the flood damage probability curves, the annual flood risks have been determined for a series of frequencies of exceedance, for example the risk at a 1% probability of exceedance of river (system) discharges, translated into water levels, is as follows:

Flood Risk in six out of 34 districts in the Mekong Delta USD/year

| District | Total | Infrastru cture | House | Agricult ure | I | H | A |
|------------|-------|--------------------|-------|-----------------|-----|-----|-----|
| Chau Phu | 514 | 394 | 117 | 3 | 77% | 23% | 1% |
| Long Xuyen | 758 | 656 | 92 | 10 | 87% | 12% | 1% |
| Tam Nong | 1,056 | 481 | 433 | 143 | 46% | 41% | 14% |
| Tan Hong | 933 | 433 | 408 | 92 | 46% | 44% | 10% |
| Sa Dec | 420 | 114 | 204 | 101 | 27% | 49% | 24% |
| Cai Be | 1,935 | 417 | 346 | 1,173 | 22% | 18% | 61% |

Actual Level of Flood Protection

From the damage probability curves, the currently prevailing level of flood protection can be derived for each category of damages:

Actual Flood Protection Levels in the Mekong Delta in Vietnam

| District | Frequency | | | | Return period | | | |
|------------|-----------|-----|-----|-----|---------------|------|-----|------|
| | Combined | I | H | A | Combined | I | H | A |
| Tam Nong | 30% | 25% | 35% | 12% | 3.3 | 4.0 | 2.9 | 8.3 |
| Tan Hong | 25% | 25% | 35% | 13% | 4.0 | 4.0 | 2.9 | 7.7 |
| Chau Phu | 25% | 24% | 32% | 8% | 4.0 | 4.2 | 3.1 | 12.5 |
| Long Xuyen | 10% | 10% | 23% | 10% | 10.0 | 10.0 | 4.3 | 10.0 |
| Sa Dec | 30% | 25% | 27% | 37% | 3.3 | 4.0 | 3.7 | 2.7 |
| Cai Be | 20% | 12% | 30% | 18% | 5.0 | 8.3 | 3.3 | 5.6 |

The order of magnitude of the actual flood protection in the deep flooded areas in the part of the Mekong Delta in Vietnam is about 25% (1 in 4 years) for infrastructure and housing and some 10% (1 in 10 years) for agricultural land.

For the shallow flood area the protection levels vary, Long Xuyen being located in between the deep and shallow flooded area having a 10% (1 in 10 year) degree of protection while for Sa Dec and Cai Be this is not more than 30 to 20% (3 to 5 year), whereas in these two districts the protection level for agricultural land is less than half of that in the deep flooded area.

What would be the optimal level of flood protection?

Through a preliminary engineering analysis of what would be required in terms of civil engineering works to increase flood protection levels for a series of flood exceedance frequencies, the optimum level of protection can be derived through an economic cost / benefit analysis.

The results of that cost / benefit analysis show very clearly:

For the deep flooded areas, it appears that there is no economic ground whatsoever justifying for aiming at higher flood protection levels for land that is used for double cropping of paddy. This finding confirms that **the GoVN policy for that area (at least as far as it is related to land used for agriculture) to provide only for early August flood protection, is confirmed as the right approach and should be continued for many years to come, possibly for decades to come**. These deep flooded areas are already protected against early flooding at on average an exceedance frequency of 10%. Costs for works that provide higher protection levels with regard to agricultural production outweigh by far the benefits that could be obtained by such measures.

On the other hand, the analysis also shows that in the deep flood-prone areas (Plain of Reeds, Long Xuyen Quadrangle) providing for an enhanced flood protection level at community or village level is economically highly beneficial. It would enhance living conditions of the population in these - at times - deeply flooded areas. Their businesses, the district governmental administration and all kinds of district public services as for example education and public health services are affected by high flood events, as has been expressed in the damage functions,

The findings also demonstrate that providing higher than the existing flood protection in urban areas such as Long Xuyen and Sa Dec also turns out to be very negative.

CONTENTS

| | Page |
|--|------|
| 1 INTRODUCTION | 1 |
| 1.1 Backgrounds | 1 |
| 1.2 Scope of the Demonstration Project | 2 |
| 1.3 Study area | 2 |
| 2 DATA | 7 |
| 2.1 Population | 7 |
| 2.2 Flood damages | 7 |
| 2.3 Land use and agriculture | 8 |
| 2.4 Crop-benefits | 10 |
| 2.4.1 Annual crops in the deep flooded area | 10 |
| 2.4.2 Annual crops in the shallow flooded area | 11 |
| 2.4.3 Fruit trees in the shallow flooded area | 12 |
| 3 FLOOD HAZARD ASSESSMENT | 13 |
| 4 FLOOD DAMAGE ASSESSMENT | 15 |
| 4.1 Methodology and approach for flood damage assessments | 15 |
| 4.2 Flood Damage Data Used for analysis | 15 |
| 4.3 Flood damage curves | 16 |
| 4.4 Flood Damage Probability Curves | 23 |
| 4.4.1 Chau Phu District | 23 |
| 4.4.2 Tan Hong District | 24 |
| 4.4.3 Tam Nong District | 25 |
| 4.4.4 Long Xuyen City | 26 |
| 4.4.5 Sa Dec Town | 27 |
| 4.4.6 Cai Be District | 28 |
| 5 FLOOD RISK ASSESSMENT | 29 |
| 5.1 Flood Risk Analysis | 29 |
| 5.2 Benefits of Flooding | 31 |
| 6 ACTUAL LEVEL OF FLOOD PROTECTION | 33 |
| 6.1 Methodology for assessment of actual level of flood protection | 33 |
| 6.2 Actual levels of Flood Protection | 33 |
| 6.3 Verification with embankment levels | 34 |
| 7 MEASURES TO INCREASE FLOOD PROTECTION LEVELS | 39 |
| 7.1 Introduction | 39 |
| 7.2 Current situation in the selected areas | 40 |
| 7.3 Flood control requirements for the sample areas | 41 |
| 7.4 Options for flood control | 41 |
| 7.5 Flood water levels | 42 |
| 7.6 Preliminary design of dykes | 43 |
| 7.7 Proposed flood control measures for sample areas | 46 |
| 7.8 Design of flood control structures | 49 |
| 7.8.1 New dykes | 49 |
| 7.8.2 Dykes based on existing roads | 49 |
| 7.8.3 Drainage method | 49 |

| | | |
|-------|---|----|
| 7.9 | Required work volumes for relevant exceedance frequencies | 50 |
| 7.10 | Cost estimates | 53 |
| 8 | COST BENEFIT ANALYSIS | 57 |
| 8.1 | Methodology for Cost / Benefit Analysis | 57 |
| 8.2 | Optimum Protection Levels | 58 |
| 8.3 | Observations | 60 |
| 8.3.1 | Protection for agricultural land | 60 |
| 8.3.2 | Protection for infrastructure and housing | 60 |
| 8.3.3 | Limitations in the analysis | 61 |

Appendices:

| | |
|-------------|---|
| Appendix 1: | Flood water level in represented locations (amsl - Ha Tien datum) |
| Appendix 2: | Direct flood damages (Mil VND at current price) |
| Appendix 3: | Flood damage in six selected districts |
| Appendix 4: | Stage Discharge Relations |
| Appendix 5: | Unit rates |
| Appendix 6: | Cost estimates |

1 INTRODUCTION

1.1 Backgrounds

In the Stage 1 Workshop of the Component 2 of the Flood Management and Mitigation Program (FMMP-C2), held in Ho Chi Minh City on 25 September, 2008, it was agreed that the development of flood protection criteria in the Mekong Delta in Vietnam will be one of the Demonstration Projects (DP) during the Stage 2 Implementation of the FMMP-C2.

The scope of this project was presented in the Workshop as follows:

1. The demonstration project focuses primarily on the methodology for the development of criteria for diking schemes for flood protection in the Vietnamese part of the delta.
2. The link between protection criteria, flood risk and risk acceptance will be formulated. For areas with known flood risks, it will be shown for different protection criteria what the economic impact is and what the residual risk would be.
3. The output of this demonstration project will be a document to be used in the societal discussion in Vietnam on flood protection criteria.

The output of this project should allow formulating answers to the following questions.

1. How to assess the actual protection level (probability of inundation) in different parts of the Delta?
2. What is the residual risk in relation to the actual protection level in these parts of the Delta?
3. What are the net benefits of increasing the protection levels in these parts of the Delta?
4. What is needed, in terms of dike heightening, to increase the protection levels in different parts of the Delta?

Regarding the implementation of this project it was agreed that a "Working-group" will be established that will have a dual function, i.e.

1. Provide guidance to the FMMP-C2 consultants in the implementation of the Demonstration project, especially regarding policy, strategy and institutional issues.
2. Participate in technical sessions that allow for the transfer of technology from the side of the consultants to the technical working-group members.

The Demonstration Projects in FMMP-C2 are also meant to apply the Best Practice Guidelines for various IFRM issues that are being developed under the FMMP-C2. The following best practice guidelines are intended to be used in the implementation of this Demonstration Project::

1. Guidelines for Flood Risk Assessment
2. Guidelines for IFRM Planning and Impact Evaluation;

This Demonstration Project has been carried out simultaneously with the implementation of the joint Cambodia - Vietnam Demonstration Project on flood risk mitigation in the border zone. The results of the two demonstration projects had been envisaged to benefit from each other.

The purpose of this document is to present the preliminary results of the Demonstration Project (DP) findings to the Vietnamese Demonstration Project Working Group.

1.2 Scope of the Demonstration Project

The primary objective of this DP is to facilitate the decision making regarding the level of protection to be given to a certain area in the Mekong Delta (Cuu Long Delta). Protection levels refer to water levels that occurred during a certain historical period. In this DP the actually prevailing protection levels are being related to an "acceptable" flood risk, acceptable

It is not the intention of this DP to consider other causes of flooding than overtopping of dikes, as could be caused by dike failure due to for example insufficient quality of design of works, poor quality achieved in construction of the works or of its maintenance, or any other type of collapse of flood protection infrastructure during extreme flood events. . If such failure mechanisms would occur they are in the domain of disaster management rather than flood management.

Criteria for flood protection are closely related to flood risk, whereas flood risk is related to potential damage that may occur as a result of flooding. Potential damage is related to land-use in its distinctive categories like infrastructure, housing and agriculture. Therefore, districts have been selected in the Mekong Delta showing distinct different types of land use and potential damage. Districts were selected in the deep flooded areas that were already surveyed during Stage 1 of FMMP-C2 and for which district damage curves were prepared (Chau Phu district, An Giang province; Tan Hong and Tam Nong districts, Dong Thap province).

Additionally, in Stage 2 of FMMP, three more district were selected: Long Xuyen City (An Giang province), Sa Dec Town (Dong Thap province) and Cai Be district (Tien Giang province) to investigate flood risk for urban settlements in Long Xuyen and Sa Dec; and flood risk for fruit tree plantation in Cai Be district.

The socio-economic survey and flood damage data collection for the three districts in the deeply flooded area were collected during Stage 1 of FMMP-C2 and additional data collection on socio-economic indicators and flood damages were collected for the three other districts in the shallowly flooded area during Stage 2. In short, sample household and business survey for the 2006 flood, indirect flood costs spent by related district departments in 2006 flood, district socio-economic indicators and land-use in 2007, district direct flood damages from 2000-2008 were available for the study.

1.3 Study area

The deeply and shallowly flooded areas in the CLD of interest to this study are shown in **Error! Reference source not found..**

Figure 1.2 shows the location of the selected representative districts in the CLD for which a flood damage assessment was carried out, and for which at a relatively small sample area within these districts requirements for increased levels of flood protections have been investigated.




Figure 1.1 Flooding in the Mekong Delta in 2000

Selected districts in the Vietnam Delta
and their representative hydraulic model nodes (ISIS, VRSAP)




Figure 1.2 Location of selected districts Data collection and processing

Deep flooded area in Mekong Delta, Vietnam covers the Plain of Reeds and the Long Xuyen Quadrangle. During the Stage 1 of the FMMP-C2, the three districts in focal area, Vietnam: Chau Phu, Tan Hong and Tam Nong were selected and intensive socio-economic survey (household and business) and district data collection were carried out.

Three representative districts in shallow flooded area: Long Xuyen City, Sa Dec Town, and Cai Be district were selected for additional secondary data collection carried out during the Stage 2 (March-April 2009).

A dataset was obtained at district level covering (i) direct damages for selected years for the period 2000-2007; (ii) district socio-economic indicators and land-use 2007; (iii) survey on the 2006 flood damage for household/business; (iv) indirect costs spent in the 2006 flood by district departments; and (v) Focus group discussions.

2 DATA

2.1 Population

According to the 2007 District statistics, the big population was found in Chau Phu Long Xuyen and Cai Be districts (250,000-300,000 persons) and small population was found in Tan Hong, Tam Nong districts , and Sa Dec Town (80,000-100,000 persons). The size of family was in a range of 3-5 persons. Poverty rate was still high in Tan Hong, Tam Nong at about 13-14%, low poverty rate was found in Long Xuyen City.

Population density was high in Long Xuyen city (24 person/ha) and Sa Dec Town (17 persons/ha). Population density in other districts was 6-7 person/ha in Chau Phu and Cai Be, and 2-3 person/ha in Tan Hong and Tam Nong. See Table 2.1.

Table 2.1 District population

| Items | Chau Phu | Tan Hong | Tam Nong | Long Xuyen | Sa Dec | Cai Be |
|--------------------|----------------|---------------|---------------|----------------|----------------|----------------|
| Population | 252,066 | 81,817 | 99,464 | 275,519 | 103,646 | 293,470 |
| Male | 123,343 | 42,058 | 48,638 | 134,238 | 50,375 | 142,407 |
| Female | 128,723 | 39,759 | 50,826 | 141,281 | 53,271 | 151,063 |
| Urban | 19,537 | 10,842 | 9,998 | 241,515 | 68,292 | 18,227 |
| Rural | 232,529 | 70,975 | 89,466 | 34,004 | 35,254 | 275,243 |
| Number of HH | 55,230 | 22,508 | 20,138 | 61,957 | 25,998 | 66,884 |
| Size of Family | 4.56 | 3.64 | 4.94 | 4.45 | 3.99 | 4.39 |
| Poverty rate | 8% | 14% | 13% | 4% | NA | 9.8% |
| Pop density (P/ha) | 6 | 3 | 2 | 24 | 17 | 7 |

Source: Annual statistics 2007

2.2 Flood damages

Direct flood damages data were collected from provincial and/or district authorities from annual reports with standard format used for collecting direct flood damages by local authorities. The format is very intensive with more than 100 damage items. The direct damages were grouped into the three damage categories presented in Appendix 2. Total direct and indirect flood damages were estimated based on indirect-direct damage ratios which were taken from the Household and Business surveys for the districts Chau Phu (An Giang province) and Tam Nong and Tan Hong (Dong Thap province). A relation between indirect and direct damages was derived for 2006 flood at a level of 64% for the Housing category².

From the secondary data collection at district level, indirect flood damage data for the districts Chau Phu, Tam Nong and Tan Hong, a relation between indirect and direct damages for the Infrastructure & Relief category was derived for the 2006 flood. This relation was used to increase the direct damages as reported for the provincial level for the years 2000-2007 with 30% to obtain the total damages for this category.

The total flood damages were deflated to the 2007 fixed price and they are presented in the Table 2.2.

The flood damage in Mekong Delta was very high in the year 2000 not only due to high flood water level but also it arrived too early in July when most of paddy not yet

² Details are presented in FMMP-C2, Stage I Evaluation Report, Annex 2: Flood Damages and Flood Risks in the Focal Areas, August 2008

harvested. Flooding in 2001, 2002 and 2006 was above the average, flooding in the remaining year the flood in Mekong Delta is very low. The damages were low or no damage especially in the shallow flooded area (Long Xuyen, Sa Dec, Cai Be).

Table 2.2 District flood damages (1000 US\$ at 2007 constant price)

| Year | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 |
|-------------------|---------------|--------------|--------------|-----------|------------|------------|------------|------------|
| Chau Phu | 4,682 | 1,232 | 1,128 | 0 | 154 | 109 | 5 | 3 |
| Infrastructure | 3,796 | 802 | 786 | 0 | 108 | 95 | 0 | 3 |
| Housing | 748 | 429 | 339 | 0 | 46 | 14 | 5 | 0 |
| Agriculture | 138 | 1 | 3 | 0 | 0 | 0 | 0 | 0 |
| Tan Hong | 8,157 | 3,945 | 953 | 0 | 247 | 165 | 322 | 44 |
| Infrastructure | 3,777 | 1,282 | 545 | 0 | 241 | 144 | 203 | 41 |
| Housing | 1,747 | 2,485 | 408 | 0 | 6 | 0 | 119 | 3 |
| Agriculture | 2,633 | 178 | 0 | 0 | 0 | 21 | 0 | 0 |
| Tam Nong | 12,533 | 4,382 | 975 | 28 | 65 | 29 | 191 | 153 |
| Infrastructure | 4,296 | 1,691 | 470 | 16 | 14 | 26 | 50 | 136 |
| Housing | 2,340 | 2,353 | 505 | 12 | 51 | 0 | 141 | 17 |
| Agriculture | 5,897 | 338 | 0 | 0 | 0 | 3 | 0 | 0 |
| Long Xuyen | 7,061 | 928 | 360 | 0 | 95 | 25 | 22 | 37 |
| Infrastructure | 6,053 | 508 | 323 | 0 | 79 | 18 | 22 | 37 |
| Housing | 896 | 408 | 34 | 0 | 16 | 7 | 0 | 0 |
| Agriculture | 111 | 12 | 3 | 0 | 0 | 0 | 0 | 0 |
| Sa Dec | 4,071 | 1,677 | 712 | 0 | 32 | 24 | 3 | 3 |
| Infrastructure | 1,256 | 353 | 161 | 0 | 32 | 24 | 1 | 0 |
| Housing | 1,837 | 841 | 546 | 0 | 0 | 0 | 2 | 2 |
| Agriculture | 978 | 482 | 5 | 0 | 0 | 0 | 0 | 1 |
| Cai Be | 35,396 | 7,287 | 3,432 | 0 | 0 | 0 | 0 | 0 |
| Infrastructure | 6,720 | 1,423 | 1,716 | 0 | 0 | 0 | 0 | 0 |
| Housing | 2,947 | 2,119 | 1,712 | 0 | 0 | 0 | 0 | 0 |
| Agriculture | 25,729 | 3,746 | 4 | 0 | 0 | 0 | 0 | 0 |

Source: District/province data and consultant estimates

2.3 Land use and agriculture

Land use in the selected districts is mainly for agriculture production occupying more than 80% except Long Xuyen City and Sa Dec Town where agricultural production land is about 60%. The forest land is mainly in Tam Nong district where Tram Chim national park exists.

Non-agricultural land consists of residential area, special land (institutions, military, security, commercial, public lands), and others (religious, cemetery, river/water body), occupies about 10-18% of total land area in districts and about 35-40% of total land in Long Xuyen City and Sa Dec Town.

The fruit trees are prevailing in Cai Be district and Sa Dec Town which are located in shallow flooded area. The fruit tree area in Cai Be district was about 50% of agricultural production land and it has been increased. Details are presented in Table 2.3.

Table 2.3 District land-use

| Items | Chau Phu | Tan Hong | Tam Nong | Long Xuyen | Sa Dec | Cai Be |
|---------------------------|---------------|---------------|---------------|---------------|--------------|---------------|
| Total Land | 45,101 | 31,127 | 47,433 | 11,543 | 5,980 | 42,090 |
| 1. Agriculture | 40,174 | 25,410 | 42,711 | 7,006 | 3,826 | 34,606 |
| Agricultural production | 39,729 | 25,063 | 34,449 | 6,786 | 3,740 | 34,437 |
| +Annual crop land | 39,022 | 24,812 | 33,749 | 6,537 | 2,393 | 18,709 |
| +Perennial trees | 707 | 251 | 700 | 249 | 1,347 | 15,728 |
| Forest land | 0 | 110 | 8,116 | 0 | 0 | 59 |
| Fishery | 444 | 214 | 146 | 219 | 84 | 109 |
| Others | 0 | 23 | 0 | 0 | 2 | 0 |
| 2. Non-agriculture | 4,927 | 5,717 | 4,721 | 4,511 | 2,152 | 7,405 |
| Residential | 1,145 | 1,120 | 708 | 1,804 | 479 | 1,360 |
| Special land | 2,538 | 2,888 | 3,270 | 1,329 | 620 | 2,287 |
| Others | 1,244 | 1,709 | 743 | 1,379 | 1,052 | 3,758 |
| 3. Un-used land | 0 | 0 | 0 | 26 | 2 | 79 |
| 4. Coastal land | 0 | 0 | 0 | 0 | 0 | 0 |

Source: Provincial Department of Natural Resource & Environment, 2007

Agricultural production in the selected districts is mainly paddy: double cropping system in deep flooded area and triple cropping system in shallow flooded area. Most of crops in the area is under irrigation. There are some non-rice crops planted in the area such as maize, beans, vegetables, soy-bean at a small scale in shallow flooded area or full flood protection area. See Table 2.4.

There are three main crop seasons:

- Summer-Autumn crop is planted in March-April and harvested in July-August which is potentially affected by early flood during the harvesting period;
- Rainy seasonal crop is planted in July-August and harvested in November which falls in main flooding season. This crop is cultivated in shallow flooded area and in full flood protection areas.
- Winter-Spring crop is planted in November-December and harvested in March-April. The crop planted after flood and required full irrigation during dry season. It is hardly affected by flood except in some case late flood would damage a newly sown area.

According to the District statistics, there are small crop areas under full flood protection in Chau Phu and Tan Hong Districts. They are about 1,900 ha occupying 6% of paddy field in Chau Phu and about 2,100 ha occupying 10% of paddy field in Tan Hong. As the price of rice in the world market has an increasing trend, this may have an impact on future expansion of the third crop in the deep flooded areas. The third paddy crop is planted in August and harvested in November, which is in main flood season of the Mekong Delta.

The fruit trees are mainly planted in Cai Be district and Sa Dec Town. There are many types of fruit tree however, oranges, mango, pomelo, longan are prevailing fruits in the shallow flooded area. See Table 2.5.

Table 2.4 Main annual crops (ha) and production (ton)

| Items | Chau Phu | Tan Hong | Tam Nong | Long Xuyen | Sa Dec | Cai Be |
|-----------------|----------|----------|----------|------------|--------|---------|
| WS Paddy Area | 34,383 | 21,599 | 30,506 | 5,591 | 1,935 | 18,432 |
| production | 260,176 | 140,761 | 207,086 | 42,570 | 12,182 | 124,861 |
| SA Paddy Area | 33,959 | 21,624 | 30,004 | 5,433 | 1,455 | 17,989 |
| production | 182,954 | 114,682 | 140,069 | 30,470 | 5,506 | 81,581 |
| RS Paddy Area | 6,389 | 2,542 | 0 | 100 | 406 | 17,723 |
| production | 38,768 | 13,191 | 0 | 434 | 1,501 | 17,723 |
| Maize Area | 98 | 83 | 63 | 6 | 24 | 135 |
| production | 486 | 421 | 242 | 29 | 91 | 390 |
| Beans Area | | | | | | 68.72 |
| production | | | | | | 179.8 |
| Soy-bean Area | 311 | 3 | 1 | 39 | 506 | 215 |
| production | 1,076 | 5 | 2 | 79 | 1,113 | 536 |
| Vegetables Area | 2,382 | 938 | 1,017 | 360 | 271 | 297 |
| production | 44,736 | 16,368 | 22,041 | 7,845 | 3,547 | 10,237 |

Source: Statistics, 2007

Table 2.5 Fruit trees in Cai Be and Sa Dec

| Items | Cai Be (ha) | Cai Be (%) | Sa Dec (ha) | Sa Dec (%) |
|------------------------------|---------------|-------------|-------------|-------------|
| Oranges | 3,451 | 22% | 98 | 11% |
| Mango | 3,373 | 22% | 596 | 65% |
| Pomelo | 2,569 | 16% | | |
| Longan | 1,873 | 12% | 200 | 22% |
| Guava | 975 | 6% | | |
| Maderine | 906 | 6% | | |
| Lemon | 717 | 5% | | |
| Banana | 306 | 2% | | |
| Coconut | 215 | 1% | 17 | 2% |
| Rose-apple | 195 | 1% | | |
| Durian | 136 | 1% | | |
| Other Fruit trees | 549 | 4% | | |
| Other perennial trees | 385 | 2% | | |
| Total perennial trees | 15,650 | 100% | 911 | 100% |

Source: Statistics, 2007

2.4 Crop-benefits

2.4.1 Annual crops in the deep flooded area

The paddy yield in a deep flooded area varies from 4-7 ton/ha depending on season. The highest paddy yield is in dry season at about 7 ton/ha. Lowest paddy yield is in rainy seasonal paddy when limited sunshine and too much rain.

It is also true for a full flood protection area where people can grow the third paddy crop. This season main effort is drainage of local rain water from the field instead of irrigation. The net benefit of paddy cultivation is about 680 US\$/ha for WS Rice, 230 US\$/ha for SA Rice, and 120US\$/ha for rainy seasonal rice. Details see Table 2.6.

The amount of fertilizers application was about 350-400kg/ha/season mainly Urea and DAP. Agrochemicals include pesticides, herbicides and fungicides have been widely

used in the area with a value of 2-3 million VND (equivalent to 100-200 US\$) per ha per season.

2.4.2 Annual crops in the shallow flooded area

Annual crop cultivation in the shallow flooded area is triple crop system. It would be triple paddies, or double paddies plus upland crop, or triple upland crops. The paddy yield varies from 4 to 6 ton/ha. Highest yield is found in dry season crop, and lowest yield is rainy seasonal crop.

Net benefit from paddy cultivation was about 750 US\$/ha for WS rice, 280 US\$ for SA rice, and 340 US\$/ha for rainy seasonal rice.

Amount of fertilizers application in shallow flooded area is more than that in deep flooded area in an order of 450-500 kg/ha/season. Agrochemicals use at a value of 1-1.2 million VND (equivalent to 50-100 US\$) per crop per season.

Other non-rice crops in both deep and shallow flooded areas as maize and beans have net benefits of 700-900 US\$/ha. However amount of fertilizers used for upland crops is more than paddy by about 100kg/ha.

Table 2.6 Crop-budgets for paddy in deep flooded area

| Annual Crops | | | WS Rice | SA Rice | AW Rice |
|---------------------|--------------------|-------------|-------------------|------------------|------------------|
| Planting month | Unit | | December | May | August |
| Harvesting month | | | March | August | December |
| Technique | | | Irrigated | Irrigated | Rain-fed |
| 1 | Total production | Kg | 6,900 | 5,260 | 4,000 |
| 2 | Total revenue | VND | 24,150,000 | 18,410,000 | 14,000,000 |
| 3 | Total Inputs | VND | 12,642,600 | 14,582,400 | 11,989,000 |
| 4 | Physical input | VND | 7,556,000 | 8,016,000 | 8,889,000 |
| | Seed | VND | 800,000 | 960,000 | 1,020,000 |
| | Fertilizers | VND | 2,406,000 | 2,406,000 | 2,769,000 |
| | Agrochemical | VND | 1,950,000 | 1,950,000 | 2,500,000 |
| | Mechanization | VND | 2,400,000 | 2,700,000 | 2,600,000 |
| | Cow/buffalo | VND | 0 | 0 | 0 |
| | Other inputs | VND | 1,146,600 | 2,126,400 | 0 |
| 5 | Labor | Wd | 62 | 66 | 68 |
| 6 | Other expenditures | VND | 1,200,000 | 1,500,000 | 0 |
| 7 | Net Benefit | VND | 11,507,400 | 3,827,600 | 2,011,000 |
| | | US\$ | 677 | 225 | 118 |

Source: Socio-economic data collection, April 2009

Table 2.7 Crop-budgets for paddy in shallow flooded area

| Annual Crops | | WS Rice | SA Rice | Rainy Seasonal Rice | |
|---------------------|--------------------|------------------|-------------------|----------------------------|------------------|
| Planting month | | December | May | August | |
| Harvesting month | | April | August | December | |
| Technique | | Irrigated | Irrigated | Rainfed | |
| 1 | Total production | Kg | 6,000 | 5,000 | 4,200 |
| 2 | Total revenue | VND | 25,200,000 | 17,500,000 | 16,800,000 |
| 3 | Total Inputs | VND | 12,423,190 | 12,671,190 | 11,101,900 |
| 4 | Physical input | VND | 8,713,190 | 8,961,190 | 7,861,900 |
| | Seed | VND | 770,000 | 770,000 | 770,000 |
| | Fertilizers | VND | 3,011,000 | 3,011,000 | 2,691,000 |
| | Agrochemical | VND | 1,250,000 | 1,250,000 | 1,000,000 |
| | Mechanization | VND | 960,000 | 960,000 | 960,000 |
| | Cow/buffalo | VND | 800,000 | 800,000 | 800,000 |
| | Other inputs | VND | 1,922,190 | 2,170,190 | 1,640,900 |
| 5 | Labour | Wd | 81 | 81 | 70 |
| 6 | Other expenditures | VND | 0 | 0 | 0 |
| 7 | Net Benefit | VND | 12,776,810 | 4,828,810 | 5,698,100 |
| | | US\$ | 752 | 284 | 335 |

Source: Socio-economic data collection, April 2009

2.4.3 Fruit trees in the shallow flooded area

Fruit trees are planted at large scale in shallow flooded area in Dong Thap, Tien Giang, and Vinh Long provinces. The fruit farms have full flood protection by embankment, either at individual farm of a few ha or a group of farms at 50-100ha. Fruit garden establishment cost varies 20-56 million VND/ha (1,200-3,300 US\$) for the first year.. Annual expenditures for harvesting would be 18-34 million VND/ha. And annual benefit in harvesting years is 25-46 million VND/ha. However, consideration of all investments, the annual Net Benefit at 12% discounted rate is 700-1200 US\$/ha. See Table 2.8.

Table 2.8 Crop-budgets for fruit trees in shallow flooded area

| Fruit Trees | | Mango | Star apple | Dragon | Orange | |
|--------------------|--------------------------------|--------------|-------------------|-------------------|-------------------|-------------------|
| 1 | Investment (1st year) | VND | 25,917,000 | 20,885,000 | 56,175,000 | 33,487,200 |
| 2 | Economic cycle | year | 30 | 40 | 10 | 10 |
| 3 | Year starting harvest | year | 5 | 5 | 4 | 4 |
| 4 | Year having high yield | year | 10-20 | 15-30 | 5-8 | 5-8 |
| 5 | Average yield | ton | 9.5 | 15.0 | 20.0 | 11.0 |
| 6 | High yield | ton | 13.5 | 19.5 | 25.5 | 15.0 |
| 7 | Inputs before yielding | VND/year | 5,500,000 | 10,087,000 | 11,070,000 | 9,135,200 |
| 8 | Inputs at average yielding | VND/year | 17,959,000 | 19,815,500 | 34,236,000 | 23,029,000 |
| 9 | Inputs at high yielding | VND/year | 20,842,000 | 25,131,000 | 41,448,000 | 28,693,000 |
| 10 | Benefit (average yield) | VND | 39,041,000 | 25,184,500 | 45,764,000 | 42,971,000 |
| 11 | Benefit (stable yield) | VND | 60,158,000 | 33,369,000 | 60,552,000 | 61,307,000 |
| 12 | Annual Labour | Wd | 129 | 107 | 130 | 200 |
| 13 | Net Present Value-12% | VND | 164,180,607 | 94,019,319 | 117,253,045 | 129,072,555 |
| 14 | Annual NB - 12% | VND | 20,128,647 | 11,359,904 | 18,253,625 | 20,093,653 |
| | Net Present Value (12%) | US\$ | 9,658 | 5,531 | 6,897 | 7,593 |
| | Annual NB at 12% | US\$ | 1,184 | 668 | 1,074 | 1,182 |

Source: Socio-economic data collection, April 2009.

3 FLOOD HAZARD ASSESSMENT

VRSAP hydraulic model was used to simulate flood water level in entire Mekong Delta, Vietnam. The output of daily water level from 1910-2006 at representative locations for each selected districts was used for flooding hazard analysis.

Yearly maximum flood level and maximum flood level before 1 August were used for vulnerability analysis for the 6 selected Chau Phu, Tam Nong, Tan Hong, Cai Be districts, Long Xuyen City and Sa Dec Town. See Appendix 1³.

The damages to infrastructure and housing are depending on the magnitude of flooding (yearly maximum flood level), meanwhile crop damage is depending on early flood in deep flooded area when Summer-Autumn Paddy is harvesting. Harvesting time varies from district to district. early harvesting time in upstream districts 1-31 July and later harvesting time in downstream district (15 July-15 August). In general, harvesting period in the VN Delta from 1 of July to 15 of August. In flood damage assessment for agriculture, we select a "mid point" as before 1 of August to relate the damage to maximum water level before 1 August. We could do it for different date in July and August, however since maximum water level during that period have a strong inter-correlation, so using different date have not have significant in flood risk assessment. By the end of 15 of August, all crops on the field are harvested and flooding would have no impact at all. However, in shallow flooded area, triple cropping system is in place, damage to crops would depend on yearly maximum flood level, especially fruit trees.

³ Updated flood hazard maps for various probabilities of exceedance will be added in the final report.

4 FLOOD DAMAGE ASSESSMENT

4.1 Methodology and approach for flood damage assessments

There are basically two approaches for flood risk assessment⁴: Absolute approach (a top-down) and relative approach (a bottom-up). In the absolute approach historical damage data for an (administrative) area are used to assess the flood damage risk in that area. In the relative approach inundation-damage relationships are developed on a per unit (ha, % of house value) basis, and the flood damage risk is assessed by applying the per unit risk to the number of units in the concerned area.

In this study, considering resource, time and data availability, absolute approach has been followed for flood damage assessment to Housing, Agriculture, and Infrastructure. could be applied. The Housing category covers individual houses and properties. The Agriculture category covers crops, livestock, and aquaculture. The Infrastructure category covers industry, irrigation, transportation, power utilities and water supply, institutions, public utilities and commercials.

The overall approach seeks the relation between protection levels and the residual risk that is considered acceptable. The assessment of the residual risk under different levels of protection is, therefore, the key issue of the exercise.

A first step in this approach is the proper assessment of the flood hazard, i.e. the flood levels with different exceedance probabilities. In Stage 1 such assessment was made with the help of the MRC ISIS model for the deep flooded areas in the northern part of the Delta. In this DP the VRSAP model will be used for the flood hazard assessment.

The second step is the assessment of residual risks under different levels of protection. For this purpose use will be made of district damage curves.

A third step is the assessment of the existing protection levels by comparing the flood hazard levels with existing dike elevations.

One important element in the evaluation of the acceptability of the residual risk refers to the costs that are involved to reduce this risk. An attempt will be made to make a first estimate of costs related to increase the heights of protection dikes.

The grand total of damages caused by a flood in a certain area is the total of direct damages plus the total of indirect damages. Direct damages are obtained from local authorities at provincial and district levels from 2000-2008. It covers loss of life, damages to housing, agriculture, and infrastructure broken down into departments. The indirect-direct damage ratios are used information from detail survey during the phase 1 for focal areas in Vietnam to estimate the grand total of damages.

For analysis purposes three main damage categories have been distinguished: (i) Infrastructure; housing, and agriculture.

4.2 Flood Damage Data Used for analysis

Deep flooded area in Mekong Delta, Vietnam covers part of the Plain of Reeds and the Long Xuyen Quadrangle. During the Stage 1 of FMMP-C2, the three districts in focal area, Vietnam: Chau Phu, Tan Hong and Tam Nong were selected and intensive socio-economic survey (household and business) and district data collection were carried out.

Three representative districts in shallow flooded area: Long Xuyen City, Sa Dec Town, and Cai Be district were selected for additional secondary data collection carried out during the Stage 2 (Mar-Apr 2009).

⁴ The Guidelines for Flood Risk Assessment, April 2009

A dataset was obtained at district level covering (i) direct damages for selected years for the period 2000-2007; (ii) district socio-economic indicators and land-use 2007; (iii) survey on the 2006 flood damage for household/business; (iv) indirect costs spent in the 2006 flood by district departments; and (v) Focus group discussions.

The results of the flood risk assessment is provided in Chapter 5, the resulting flood damage probability curves have been derived from that analysis.

4.3 Flood damage curves

Flood damage assessment as specified in the Guidelines for Flood Risk Assessment. Considering data availability, resources, and study objectives the absolute damage assessment methodology is used for the DP.

Flood damage curves or damage functions would be established by relationship between yearly flood water levels at representative location of the district (at or near the centre) and yearly flood damages in the district by three main categories: Infrastructure, Housing, and Agriculture. There are 18 flood damage curves representing for the 6 selected districts/city as shown in the following figures. There are 9 damage functions having R-square more than 0.9, And only 4 damage functions having R-square less than 0.7. The low R-square happens for the damage function with low damage value as the case in Long Xuyen, Tan Hong and Sadec. See details in Table 4.1.

Table 4.1 R squares of the flood damage functions

| R Square | Chau Phu | Tan Hong | Tam Nong | Long Xuyen | Sa Dec | Cai Be |
|-----------------|---------------------|---------------------|---------------------|-----------------------|---------------|---------------|
| Infrastructure | 0.95 | 0.94 | 0.88 | 0.92 | 0.64 | 1.00 |
| Housing | 0.99 | 0.56 | 0.72 | 0.63 | 0.77 | 0.97 |
| Agriculture | 1.00 | 0.99 | 0.99 | 0.75 | 0.49 | 0.81 |

The flood damage curves for the six districts and for the various damage categories are presented in Figure 4.1 to Figure 4.6.




Figure 4.1 Flood damage curves Chau Phu district




Figure 4.2 Flood damage curves Tan Hong district




Figure 4.3 Flood damage curves Tam Nong district




Figure 4.4 Flood damage curves Long Xuyen City




Figure 4.5 Flood damage curves Sa Dec Town




Figure 4.6 Flood damage curves Cai Be district

4.4 Flood Damage Probability Curves

Establishment of flood damage probability is an important step of flood risk assessment. It is combining flood hazard probability analysis and flood damage assessment to develop flood damage probability.

The flood damage probability curves for the 6 selected districts/city in the demonstration project were prepared and presented in the following sections.

4.4.1 Chau Phu District

Flood damage in Chau Phu district is considered as low level. The damage is mainly for infrastructure occupying about 80% of the total flood damage in the district. The remains are for housing occupying about 18% and for agriculture occupying about 2%. See Figure 4.7 and Table 4.2.

There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 25%, 30%, and 10% or higher respectively.




Figure 4.7 Flood damage probability curves, Chau Phu district

Table 4.2 Flood damage probability, Chau Phu district (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|----------------|--------------|--------------|--------------|--------------|------------|----------|
| P (%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 4,301 | 3,469 | 3,469 | 1,665 | 277 | 0 |
| Housing | 854 | 730 | 730 | 462 | 256 | 7 |
| Agriculture | 137 | 74 | 36 | 0 | 0 | 0 |
| TOTAL | 5,293 | 4,273 | 4,235 | 2,127 | 533 | 7 |

4.4.2 Tan Hong District

Flood damage in Tan Hong district is considered as average level. The damage is mainly for infrastructure occupying about 50% of the total flood damage in the district. The remains are for housing occupying about 30% and for agriculture occupying about 20%. See Figure 4.8 and Table 4.3.

There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 25%, 40%, and 10% or higher respectively.




Figure 4.8 Flood damage probability curves, Tan Hong district

Table 4.3 Flood damage probability, Tan Hong district (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|-----------------|--------------|--------------|--------------|--------------|--------------|------------|
| P(%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 4,398 | 3,599 | 3,499 | 1,603 | 405 | 87 |
| Housing | 2,447 | 2,123 | 2,083 | 1,313 | 827 | 108 |
| Agriculture | 2,617 | 1,480 | 901 | 214 | 0 | 0 |
| TOTAL | 9,462 | 7,202 | 6,483 | 3,130 | 1,231 | 195 |

4.4.3 Tam Nong District

Flood damage in Tam Nong district is considered as high level. The damage is mainly for infrastructure occupying about 40% of the total flood damage in the district. The remains are for housing occupying about 30% and for agriculture occupying about 30%. See

Figure 4.9 and Table 4.4. There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 25%, 50%, and 10% or higher respectively.




Figure 4.9 Flood damage probability curves, Tam Nong district

Table 4.4 Flood damage probability, Tam Nong district (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|----------------|---------------|--------------|--------------|--------------|--------------|------------|
| P(%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 4,559 | 4,077 | 3,808 | 1,931 | 858 | 0 |
| Housing | 2,841 | 2,585 | 2,443 | 1,447 | 878 | 109 |
| Agriculture | 5,828 | 2,947 | 1,506 | 131 | 0 | 0 |
| TOTAL | 13,229 | 9,609 | 7,757 | 3,509 | 1,736 | 109 |

4.4.4 Long Xuyen City

Flood damage in Long Xuyen City is considered at average level. The damage is mainly for infrastructure occupying nearly 90% of the total flood damage in the city. The remains are for housing occupying about 10% and for agriculture occupying about 2%. See Figure 4.10 and Table 4.5. There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 10%, 25%, and 10% or higher respectively.




Figure 4.10 Flood damage probability curves, Long Xuyen city

Table 4.5 Flood damage probability, Long Xuyen City (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|----------------|---------------|--------------|--------------|------------|------------|------------|
| P(%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 9,945 | 7,327 | 5,233 | 521 | 461 | 307 |
| Housing | 1,122 | 914 | 748 | 374 | 83 | 0 |
| Agriculture | 267 | 193 | 133 | 0 | 0 | 0 |
| TOTAL | 11,334 | 8,434 | 6,114 | 895 | 544 | 307 |

4.4.5 Sa Dec Town

Flood damage in Sa Dec Town is considered at low level. The damage is mainly for infrastructure occupying nearly 30% of the total flood damage in the town. The remains are for housing occupying about 50% and for agriculture occupying about 20%. See Figure 4.11 and Table 4.6. There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 25%, 30%, and 35% or higher respectively.




Figure 4.11 Flood damage probability curves, Sa Dec Town

Table 4.6 Flood damage probability, Sa Dec Town (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|----------------|--------------|--------------|--------------|--------------|------------|----------|
| P (%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 1,220 | 1,009 | 850 | 533 | 111 | 3 |
| Housing | 1,968 | 1,653 | 1,417 | 945 | 315 | 0 |
| Agriculture | 805 | 690 | 604 | 431 | 201 | 0 |
| TOTAL | 3,993 | 3,352 | 2,871 | 1,909 | 627 | 3 |

4.4.6 Cai Be District

Flood damage in Cai Be district is considered at high level. The damage is mainly for agriculture occupying nearly 65% of the total flood damage in the district. The remains are for infrastructure occupying about 23% and housing occupying about 12%. High flood damage for agriculture in Cai Be district was due to high concentration of fruit trees in the area. See Figure 4.12 and Table 4.7. There would be insignificant flood damage for infrastructure, housing, and agriculture at a probability of 15%, 30%, and 15% or higher respectively.




Figure 4.12 Flood damage probability curves, Cai Be district

Table 4.7 Flood damage probability, Cai Be (US\$ 1000)

| T (year) | 100 | 50 | 25 | 10 | 5 | 2 |
|----------------|---------------|---------------|---------------|--------------|------------|------------|
| P (%) | 1% | 2% | 4% | 10% | 20% | 50% |
| Infrastructure | 7,539 | 6,179 | 4,004 | 1,284 | 162 | 116 |
| Housing | 3,537 | 3,126 | 2,470 | 1,650 | 501 | 7 |
| Agriculture | 20,426 | 17,332 | 12,381 | 6,192 | 3 | 1 |
| TOTAL | 31,501 | 26,637 | 18,854 | 9,126 | 665 | 124 |

5 FLOOD RISK ASSESSMENT

5.1 Flood Risk Analysis

The flood risk is an area below the flood damage probability curve from $p=99.9\%$ up to the specific probability p (say 20%, 10%, 5%, 1% etc.). The area represents annual expected damage caused by floods which are equal or smaller flood at the specified probability p . The term “potential flood risk” is the same as “flood risk reduction” when flood protection measures are provided to control the flood at certain probability p .

Flood risk assessment for the six selected districts showed that the potential flood risk is high in Cai Be and Tam Nong districts (1.0-1.9 million US\$/year) for the whole district at probability of 1% or higher, and low risk is found in Sa Dec town and Chau Phu district (0.4-0.5 million US\$/year). Flood risk in Long Xuyen city and Tan Hong district is in an average between the two ends.

Composition of flood risk by the three categories is varied from district to district. High rates were found in Chau Phu and Long Xuyen (70-90%) for infrastructure risk; in Cai Be district (61%) for agriculture. See Appendix 3 and details for other probabilities are presented in Table 5.5.

Table 5.1 Flood risk at P=1% (US\$ 1000/year)

| District | Total | Infrastructure | House | Agriculture | I | H | A |
|------------|-------|----------------|-------|-------------|-----|-----|-----|
| Chau Phu | 514 | 394 | 117 | 3 | 77% | 23% | 1% |
| Long Xuyen | 758 | 656 | 92 | 10 | 87% | 12% | 1% |
| Tam Nong | 1,056 | 481 | 433 | 143 | 46% | 41% | 14% |
| Tan Hong | 933 | 433 | 408 | 92 | 46% | 44% | 10% |
| Sa Dec | 420 | 114 | 204 | 101 | 27% | 49% | 24% |
| Cai Be | 1,935 | 417 | 346 | 1,173 | 22% | 18% | 61% |

Considering the flood risk on the potential damage US\$/year in Table 5.2, ranking the risk level in an order of district, which would suffer the most and second, etc. was carried out. The highest risk level is found at Cai Be district in total risk, at Long Xuyen city in infrastructure, at Tam Nong district in housing, and at Cai Be district in agriculture.

Table 5.2 Ranking risk levels based on US\$ 1000/year

| District | Total | Infrastructure | House | Agriculture |
|------------|-------|----------------|-------|-------------|
| Chau Phu | 5 | 5 | 5 | 6 |
| Long Xuyen | 4 | 1 | 6 | 5 |
| Tam Nong | 2 | 2 | 1 | 2 |
| Tan Hong | 3 | 3 | 2 | 4 |
| Sa Dec | 6 | 6 | 4 | 3 |
| Cai Be | 1 | 4 | 3 | 1 |

Note: 1: high risk (high damage \$/year); and 6: low risk (low damage \$/year)

Another way for presenting potential flood risk is expressing the risk per unit of land use associated with damage. Residential land including rural and urban is used for housing damage analysis, special land use covering institution, commercial, public utilities, roads, etc. is used for infrastructure damage analysis, and agricultural production land covering annual crop and fruit trees is used for agricultural damage analysis. See land use formation in Table 2.3.

The risk per unit of land in overall is highest in Sa Dec (87 US\$/ha/year). It is followed by Long Xuyen (76), Cai Be (51), Tan Hong (32), Tam Nong (27) and Chau Phu (12). Flooding risk for infrastructure land is highest at Long Xuyen (494 US\$/ha/year), and it is followed by Sa Dec town, Cai Be district (182-184), and Chau Phu, Tan Hong and Tan Nong districts (147-155). The risk for residential land is highest at Tam Nong (612), it is followed by Sa Dec and Tan Hong (365-426), Cai Be and Chau Phu (102-255), and lowest at Long Xuyen (51). The risk for agricultural production land is highest at Cai Be (34 US\$/ha/year). It is followed by Sa Dec (27), Tam Nong and Tan Hong (4) and lower ends in Long Xuyen and Chau Phu (0.1-1.4). See Table 5.3 and Table 5.4. Detailed information on potential flood damage by categories and by probability are presented in Appendix 3. Detailed information on potential flood damage by categories and by probability are presented in Appendix 3.

Table 5.3 Potential flood risk per ha at P=1% (US\$/year/ha)

| District | Overall | Infrastructure | House | Agriculture |
|------------|---------|----------------|-------|-------------|
| Chau Phu | 12 | 155 | 102 | 0.1 |
| Long Xuyen | 76 | 494 | 51 | 1.4 |
| Tam Nong | 27 | 147 | 612 | 4.1 |
| Tan Hong | 32 | 150 | 365 | 3.7 |
| Sa Dec | 87 | 184 | 426 | 27.1 |
| Cai Be | 51 | 182 | 255 | 34.1 |

Table 5.4 Ranking risk levels based on US\$/year/ha

| District | Total | Infrastructure | House | Agriculture |
|------------|-------|----------------|-------|-------------|
| Chau Phu | 6 | 4 | 5 | 6 |
| Long Xuyen | 2 | 1 | 6 | 5 |
| Tam Nong | 5 | 6 | 1 | 3 |
| Tan Hong | 4 | 5 | 3 | 4 |
| Sa Dec | 1 | 2 | 2 | 2 |
| Cai Be | 3 | 3 | 4 | 1 |

Note: 1: high risk (high damage \$/year/ha); and 6: low risk (low damage \$/year/ha)

The national program of living with flood in the Mekong Delta by providing flood free settlement areas and early flood control for crops has significant impact on reduction of flooding risk in the area, especially for house. There were 817 flood free projects in the 8 provinces in Mekong Delta during 2000-2008 to move 125,000 HHs already to the flood safe areas obtaining 84% of the national government target. The national workshop on flood free settlements⁵ was organized in Long An province on September 23, 2008 chaired by Vice Prime Minister Hoang Trung Hai to review the program and prepare for the second phase of 2,400 billion VND to bring additional 52,300 HHs to the safe places.

The living with flood program would gradually reduce the flood risk for housing of the people living in the Delta, especially the poor in the deep flooded area.

⁵ <http://www.baobinhduong.org.vn/detail.aspx?Item=58188>

Table 5.5 Flood risk by damage categories (US\$ 1000)

| T (year) | Land use | 100 | 50 | 25 | 10 | 5 | 2 | |
|----------|-------------------|---------------|--------------|--------------|--------------|------------|------------|------------|
| P(%) | (ha) | 1% | 2% | 4% | 10% | 20% | 50% | |
| 1 | Chau Phu | 43,412 | 514 | 465 | 379 | 176 | 26 | 3 |
| | Infrastructure | 2,538 | 394 | 355 | 284 | 120 | 8 | 0 |
| | Housing | 1,145 | 117 | 108 | 94 | 56 | 18 | 3 |
| | Agriculture | 39,729 | 3 | 2 | 1 | 0 | 0 | 0 |
| 2 | Tan Hong | 29,071 | 933 | 848 | 706 | 402 | 178 | 48 |
| | Infrastructure | 2,888 | 433 | 392 | 320 | 162 | 52 | 13 |
| | Housing | 1,120 | 408 | 385 | 342 | 238 | 125 | 34 |
| | Agriculture | 25,063 | 92 | 71 | 44 | 2 | 0 | 0 |
| 3 | Tam Nong | 38,427 | 1,056 | 940 | 767 | 412 | 135 | 35 |
| | Infrastructure | 3,270 | 481 | 437 | 357 | 177 | 26 | 0 |
| | Housing | 708 | 433 | 405 | 354 | 233 | 109 | 35 |
| | Agriculture | 34,449 | 143 | 98 | 56 | 1 | 0 | 0 |
| 4 | Long Xuyen | 9,918 | 758 | 657 | 509 | 291 | 212 | 102 |
| | Infrastructure | 1,329 | 656 | 568 | 440 | 261 | 210 | 102 |
| | Housing | 1,804 | 92 | 81 | 64 | 30 | 2 | 0 |
| | Agriculture | 6,786 | 10 | 7 | 4 | 0 | 0 | 0 |
| 5 | Sa Dec | 4,840 | 420 | 383 | 320 | 178 | 33 | 1 |
| | Infrastructure | 620 | 114 | 103 | 84 | 43 | 5 | 1 |
| | Housing | 479 | 204 | 186 | 155 | 85 | 13 | 0 |
| | Agriculture | 3,740 | 101 | 94 | 81 | 50 | 15 | 0 |
| 6 | Cai Be | 38,084 | 1,935 | 1,639 | 1,195 | 417 | 115 | 44 |
| | Infrastructure | 2,287 | 417 | 347 | 248 | 109 | 82 | 41 |
| | Housing | 1,360 | 346 | 312 | 257 | 137 | 33 | 3 |
| | Agriculture | 34,437 | 1,173 | 980 | 690 | 171 | 1 | 0 |

5.2 Benefits of Flooding

In the six Focus Group Discussions held in focal areas (Chau Phu, Tan Hong and Tam Nong districts) during the phase #1, farmers mentioned that floods have significant benefit for crop cultivation. After a big flood, application of fertilizers and pesticides to Winter-Spring Paddy (November-March) is less than in a normal flood year by total value of 2-3 million VND per ha (about 100-200 US\$/ha) but the yield is higher by 0.5-1.0 ton/ha. Flood benefits for agriculture would be 3-5 million VND/ha (about 200-300 US\$/ha). Assuming big flood frequency of one third, the annual flood benefit for agriculture would be 60-100 US\$/ha.

All most all families in the deep flooded area are fishing during the flood season. Duration for fishing varies between focal areas, short duration for Long Xuyen Quadrangle (20-45 days) and longer duration for the Plain of Reeds (30-120 days) depending on the duration of the flood. The benefit of flood for capture fisheries of people in deep flooded areas are 1-5 million VND/household (about 100-300 US\$/household) in normal flood years and about 2-12 million VND/household in big flood years. According to MRC⁶-Technical Paper, average amount of fish catch from rice

⁶ MRC-Technical Paper, No:16, October 2007:Consumption and the yield of fish and other aquatic animals from the Lower Mekong Basin

field in Mekong Delta Flood Plain (deep water flooded areas) would be 80-119 kg/ha resulting in the value of 30-40 US\$/ha.

6 ACTUAL LEVEL OF FLOOD PROTECTION

6.1 Methodology for assessment of actual level of flood protection

There are basically two approaches for assessment of the actual level of protection in the Mekong Delta: 1) based on the current levels of ringdyke systems, and 2) based on the start of occurrence of damages.

Historical damage data for administrative areas have been used in the flood damage assessment (Chapter 4). In this study, considering resource, time and data availability, we follow the approach of the start of occurrence of damages and verify the results with the current levels of embankments.

The overall approach seeks the actual probability of exceedance of water levels that cause damages, we do this at district level, for the six selected districts out of 34 flood prone districts in the CLD, three in the deeply flooded areas and three in the shallowly flood area.

A first step in this approach is the proper assessment of the flood hazard, i.e. the flood levels with different exceedance probabilities. In Stage 1 such assessment was made with the help of the MRC ISIS model for the deep flooded areas in the northern part of the Delta. In this DP the VRSAP model is used for the flood hazard assessment.

A third step is the assessment of the existing protection levels by comparing the flood hazard levels with existing dike elevations. For this purpose use will be made of district flood damage probability curves as presented in Section 4.4.

For analysis purposes three main damage categories have been distinguished: i) Infrastructure, ii) housing, and iii) agriculture.

6.2 Actual levels of Flood Protection

From the damage probability curves presented in Chapter 4, the currently prevailing level of flood protection can be derived, this is summarized in Table 6.1.

Table 6.1 Actual Flood Protection Levels in selected district of the MD in Vietnam

| District | Frequency | | | | Return period | | | |
|------------|-----------|-----|-----|-----|---------------|------|-----|------|
| | Combined | I | H | A | Combined | I | H | A |
| Tam Nong | 30% | 25% | 35% | 12% | 3.3 | 4.0 | 2.9 | 8.3 |
| Tan Hong | 25% | 25% | 35% | 13% | 4.0 | 4.0 | 2.9 | 7.7 |
| Chau Phu | 25% | 24% | 32% | 8% | 4.0 | 4.2 | 3.1 | 12.5 |
| Long Xuyen | 10% | 10% | 23% | 10% | 10.0 | 10.0 | 4.3 | 10.0 |
| Sa Dec | 30% | 25% | 27% | 37% | 3.3 | 4.0 | 3.7 | 2.7 |
| Cai Be | 20% | 12% | 30% | 18% | 5.0 | 8.3 | 3.3 | 5.6 |

It can be concluded that the order of magnitude of the actual protection level against flooding in the deeply flooded areas is 25% (1 in 4 years) for infrastructure, 35% (1 in 3 years) for housing, and about 10% (1 in 10 years) for agricultural land.

For the shallow flood area the protection levels vary, Long Xuyen having a 10% (1 in 10 year) degree of protection while for Sa Dec and Cai Be this is not more than 30 to 20% (3 to 5 year), whereas in these two districts the protection level for agricultural land is less than half of that in the deep flooded area.

Long Xuyen and Sa Dec towns could also be considered as being located in between the deep and shallow flood prone areas; nevertheless, actual protection levels in Long Xuyen are remarkably higher than in Sa Dec.

6.3 Verification with embankment levels



The embankment levels in each district vary widely, each district having a number of ringdykes. Most of the embankments were built by local authorities and communities resulting in a high variation range of dyke crest elevations. There is a logical tendency of higher elevations of dykes at the upstream side and lower elevations at the downstream side of dykering systems.




Relating to elevations of embankments etc. in Long Xuyen City and Sa Dec Town, we have no detailed information due to small areas and very dense streets/roads network. Some of street/road were raised after the 2000 flood. We can assume elevation of embankments at Long Xuyen City 30-40 cm below the 2000 flood, and at Sa Dec 25-30 cm below the 2000 flood level.


The average elevations of embankments are shown in the following Figures, together with the simulated water levels over the historical 97 years of flow records under the current infrastructure situation in the Mekong Delta.




These Figures do not distinguish between categories of damages caused by flooding.

However, the graphs do confirm the actual protection levels for agricultural land which accounts for some 80 to 90% of the land-use.









7 MEASURES TO INCREASE FLOOD PROTECTION LEVELS

7.1 Introduction

The Cuu Long Delta (CLD) is an area of approximately 3.9 million hectares. It is an important area with respect to agricultural production in Vietnam. Rice and fruit are the main products in this area and they are used for both domestic consumption and export. The CLD product supply occupies about 50% of agricultural product export in Vietnam. The CLD has a population of about 18 million people, 80% of whom work in agriculture. The CLD has a significant number of densely populated areas.

Annual floods in the CLD cause damages at different levels in agriculture, especially in fruit-tree and rice areas. They have large impacts on the social – economic development of the CLD. Therefore, flood control in this area is considered a high priority. The current practice for the design of flood control works is to use the floods of 2000 (with an estimated frequency of exceedance of about 2%) and 2001 (10%) as design events.

To choose the optimal frequency for designing flood control works in the CLD is the concern for both designers and decision makers. This choice should be based on a cost-benefit analysis. The costs are related to the construction of flood control works that are required to reduce the flood frequency to the design frequency. The benefits are the reductions in flood damages.

In this Chapter, the potential flood control in six areas with different characteristics are investigated. The research aims at defining engineering indicators for investing in flood control works to provide an optimal solution in terms of cost-benefit ratios.




Figure 7.1 Location of sample areas

7.2 Current situation in the selected areas

In total six study areas have been chosen, three of which are mainly urban (city or town), two are 2-crop areas and one area is a fruit tree area. Table 7.1 presents an overview of the main features of these areas.

Table 7.1 Main features of the six selected areas

| Sample areas | Subjects for flood control | Flooded feature | Requirements of flood control | City/Province |
|-------------------|----------------------------|--------------------|-------------------------------|---------------|
| Chau Phu District | 2-crop areas | Deep inundation | Early August flood | An Giang |
| Tan Hong District | 2-crop areas | Deep inundation | Early August flood | Đồng Tháp |
| Tam Nong town | Residence, infrastructure | Deep inundation | Year-round flood | Đồng Tháp |
| Long Xuyen | Residence, infrastructure | Deep inundation | Year-round flood | An Giang |
| Sa Dec town | Residence, infrastructure | Shallow inundation | Year-round flood | Đồng Tháp |
| Cai Be District | Fruit-tree areas | Shallow inundation | Year-round flood | Tiền Giang |

Chau Ph und Tan Hong and are located in deep flooded areas and these districts can cultivate 2 crops a year. Agricultural flood damages in these areas occupy a relatively small rate (about 2 to 10%) of the total flood damages. To mitigate flood damage in agricultural production, especially for 2-crop area, the existing flood control dyke system were realised many years ago and they are generally at the level of the secondary canals. This flood control dyke system is insufficient, since the area is inundated each flood season. This dyke system therefore urgently requires major improvements.

Tam Nong town is a deep flooded area. The residential areas are gathered around five corners of Dong Tien channel. Inhabitants settle down in narrow lines along the riverside where foundation is enhanced against floods. Nevertheless, in years of high or extreme flows, residential areas and infrastructure are inundated. In the year 2000, the inundated depth on roads was about 0.3 – 0.6m on average, which caused significant damage.

Long Xuyen is a deep flooded area. The urban area in Long Xuyen is located at narrow lines along the right side of Hau river and along road 91. This urban strip is about 0,6 – 1,5km wide. The area between Vam Cong and Long Xuyen channel is densely populated. Over the years, the foundations of inhabitant areas and infrastructure have been gradually enhanced. Nevertheless, Xuyen town is seriously flooded in years of high or extreme flows. In years of small or moderate flows, flood damages are negligible. In the year 2000, the flood water level at Long Xuyen was MSL+ 2.91m (Ha Tien level), a level with an estimated frequency of exceedance of approximately 2%. The inundated depth on roads was about 0.3-0.4m.

Sa Dec town is in a shallow flooded area. Foundation of the settled areas has been formed after many years of reclamation of the CLD and its elevation is not uniform. Flood levels in Sa Dec town are less severe in comparison with areas [1] and [2]. Population density and investments in infrastructure grow rapidly, and consequently the potential damages as well. In the 2000 flood, the water level at Sa dec was MSL+ 2.31m. The inundated depth on Sa Dec roads was about 0.25-0.3m.

Cai Be is one of the main areas concentrating on cultivating fruit-trees in the CLD. Nowadays, flood control dykes for fruit-tree areas are constructed on both small scale (protecting tens of hectares) to larger scale (protecting hundreds of hectares). In the year 2000, almost all fruit-tree areas in Cai Be district were flooded.

7.3 Flood control requirements for the sample areas

With respect to subjects for flood control, the six selected areas are divided into three classes:

- 1). Flood control for residential areas and their infrastructure systems.
- 2). Flood control for fruit-tree areas and,
- 3). Flood control for 2-crop areas.

Each class has different requirements for flood protection. For instance the first two classes require year-round flood protection, whereas for the 2-crop areas it is sufficient to protect the land from flooding in the early flood season (until early August). Key parameters of sample areas are summarized in Table 7.2 and Table 7.3.

Table 7.2 Surface area and length of dykes of the 6 selected areas

| Area | code | surface protected areas (ha) | of dyke length (km) |
|--------------|-------------|-------------------------------------|----------------------------|
| Châu Phú | CP | 1,000 | 14,000 |
| Tân Hồng | TH | 1,000 | 14,000 |
| Tam Nông | TN | 336 | 7,980 |
| Long Xuyên | LX | 499 | 21,060 |
| Long Xuyên 1 | LX1 | 198 | 6,240 |
| Long Xuyên 2 | LX2 | 170 | 7,460 |
| Long Xuyên 3 | LX3 | 76 | 4,260 |
| Long Xuyên 4 | LX4 | 55 | 3,100 |
| Sa Đéc | SD | 370 | 8,145 |
| Cái bè | CB | 1,000 | 14,000 |

7.4 Options for flood control

The following options for flood control in residence areas in CLD are available:

1. *Foundation enhancement.* Densely populated areas are often located at higher elevated areas compared to agricultural areas. A possibility for flood control is to further enhance these foundations. This approach has often been implemented in recent years. However, for large areas this is a very expensive measure.

2. *Closing of the flood control dyke system.* This approach has also been used for many such as Sa Rai (Tan Hong town), Vinh Hung, Cao Lanh, Hong Ngu, ect...). Formation of these protected areas also requires drainage from inside the dyke ring areas to outside. Since the water level outside the dyke ring is generally higher than the water level inside, pumps are used to drain and control floods during the flood season.

3. *Non-structural measures.* Flood damage mitigation by means of non-structural measures is an effective solution, but have not been considered.

Above solutions have been applied for specific areas in CLD. In these sample research areas, closing flood control dyke is the most suitable solution..

7.5 Flood water levels

The hydrodynamic model VRSAP has been applied to compute water levels at a number of locations in CLD over a simulation period of 97 years. Subsequently, flood frequency curves have been derived from the resulting 97 annual maximum water levels but maximum water levels up to August 1 for the first two areas.

Table 7.3 Water level (m+amsl) with various frequency of exceedance at different locations.

| Area | Code | frequency of exceedance | | | | |
|--------------|-----------|-------------------------|-----|-----|-----|-----|
| | | 1% | 2% | 5% | 10% | 20% |
| Châu Phú | CP | 268 | 236 | 221 | 212 | 203 |
| Tân Hồng | TH | 384 | 338 | 316 | 303 | 291 |
| Tam Nông | TN | 507 | 460 | 436 | 423 | 409 |
| Long Xuyên | LX | 303 | 290 | 283 | 279 | 275 |
| Long Xuyên 1 | LX1 | 303 | 290 | 283 | 279 | 275 |
| Long Xuyên 2 | LX2 | 303 | 290 | 283 | 279 | 275 |
| Long Xuyên 3 | LX3 | 303 | 290 | 283 | 279 | 275 |
| Long Xuyên 4 | LX4 | 303 | 290 | 283 | 279 | 275 |
| Sa Đéc | SD | 237 | 227 | 222 | 220 | 217 |
| Cái bè | CB | 224 | 212 | 206 | 202 | 198 |

7.6 Preliminary design of dykes




Figure 7.2 Typical cross-sections of embankment for new and upgrading dyke




Figure 7.3 Typical cross-section of embankment for Chau Phu district




Figure 7.4 Typical cross-section of embankment for Tan Hong district




Figure 7.5 Typical cross-section of embankment for Tam Nong Town




Figure 7.6 Typical cross-section of embankment for Long Xuyen City




Figure 7.7 Typical cross-section of embankment for Sa Dec Town




Figure 7.8 Typical cross-section of embankment for Cai Be district

7.7 Proposed flood control measures for sample areas

Chau Phu

Flood control measures in Chau Phu are similar to the ones in Tan Hong, but in Chau Phu early August flood water level is lower than that in Tan Hong.

Tan Hong

The Tan Hong area is protected against floods in the early flood season to prevent loss of unharvested crops. The early flood control dyke model is to protect two-crop areas of flooding from second class canals. The protected area is 1000 hectares with a 14km long dyke system. The primary and secondary embankments are enhanced according to the design flood water level.

Tam Nong area

The plan for Tam Nong area is developed from the riverside towards the field to form a protected area of 336 hectares. The total levee length is 7.98 km as shown in Figure 7.9



Figure 7.9 Flood control dyke in Tam Nong town

Long Xuyen area

Long Xuyen town is divided into 4 small areas for flood control as LX1, LX2, LX3 and LX4. Each has an area of 50 – 200 hectares. The total surface of protected areas is 499 hectares and the dyke length is 21 km. The dykes are formed at existing or renewed roads.




Figure 7.10 Long Xuyên area

In Long Xuyen, the proposed dyke line formation is as follows:

- Road 91 is used as a protection dyke.
- Create a new dyke to use as urban byway, parallel with road 91. Dig canal lines parallel to the dyke to use soil for dyke construction.
- Dig a canal and implement dyke lines perpendicular to road 91 to form traffic road and drainage axis.
- Install a pump in each protected area for drainage purposes.

Sa Dec typical area:

The existing road lines in Sa Dec town (road 80 and inner town road beside Hau river) are in a favourable condition to be used as protection dykes. After the floods of 2000, 1.5 km of road 80 was upgraded to ensure flood protection with 1% probability of exceedance. Compared with embankment standards, the elevations of other roads lines in this area are lower. Therefore, the easy solution for flood control is to build a revetment wall along the road. The optimal revetment wall height will be follow from te Cost / Benefit analysis.



Figure 7.11 : Flood control dyke in Sa Dec town

Cai Be

- The surface of the subareas of Cai Be district vary from several hectares to thousands of hectares in which the biggest one is about 5,000 hectares
- A reasonable option to enhance the flood control dykes for fruit-tree areas is based on the fourth canal scale. The distance between two first class canals is 5km and the distance between two second class canals is 2km.
- The surface of the protected zone is about 1,000ha the associated dyke length is about 14km; 10 km along the first class canal and 4 km along the second class canal.
- The protection level along the system of first and second class canals is enhanced to ensure a protection level for various exceedance frequencies.

7.8 Design of flood control structures

7.8.1 New dykes

Flood control dykes are made up of soil that is dug from channel parallel to the dike. The resulting channels are used as drainage channels or for as passage ways for boats. The cross-section has a top width of 6m and a slope of 1.5. On top of the design water level, an additional freeboard of 1 m is added to account for wave run-up and dike settlement. To ensure the security of dyke line, the side slopes are consolidated by concrete slabs with 0,2m thick or by mortared stone M100 with the thickness of 0,3 – 0,3m. Renewed dyke lines can be combined with traffic road, in case of traffic requirement (top width $B > 6m$) the extra cost is not considered in this report. For agricultural areas, no new dykes are required, i.e. the existing dykes can be upgraded.

7.8.2 Dykes based on existing roads

A revetment wall is added along the roads to ensure the required flood protection level. The revetment wall is made of reinforced concrete. The foundation and infiltration treatment are relatively simple because it is confronted with relatively small differences in water level. The cross-section of the revetment wall has a top width of 0,5m and a slope of 1,0 – 1,25. Flood control embankments for protection of agricultural areas already exist and in this report, its crest level is based on the results of damage analysis. Other parameters such as crest width and slope are 2m and 1.5 in respectively.

7.8.3 Drainage method

To drain inhabited areas an electric pump is installed. The pump capacity is generally HTD 2400 or equivalent, depending on the scale of the protected area. Previous experiences from implementing round year protected areas in the CLD have given a drainage coefficient of 8 – 10 l/s/ha. A HTD 2400 pump can drain up to 80 ha. in the design, the required number of pumps will be rounded and 20% is added for the purpose of “standby”. Canals or culverts collecting rainfall and domestic sewage can also be used for inner traffic and infrastructure. Therefore, the cost and quantity of these canals and culverts are not considered in the flood control system design. Small pumps are used to drain water from field to the secondary canals for agricultural and fruit-tree area and the drainage coefficient is about 3 – 4 l/s/ha.

7.9 Required work volumes for relevant exceedance frequencies

Based on the preliminary design, the requested earth work volumes for a number of design frequencies are presented in

Table 7.4.

Table 7.4 Works quantities in selected sample areas

| Areas Item | Unit | Frequency of exceedance | | | | |
|------------------------|-----------|-------------------------|----------------|----------------|----------------|----------------|
| | | 1% | 2% | 5% | 10% | 20% |
| Châu Phú | | | | | | |
| Earth | m3 | 132,440 | 98,420 | 77,840 | 68,040 | 58,800 |
| Dig | m3 | 158,928 | 118,104 | 93,408 | 81,648 | 70,560 |
| Tân Hồng | | | | | | |
| Earth | m3 | 185,640 | 130,760 | 106,260 | 83,020 | 72,100 |
| Dig | m3 | 222,768 | 156,912 | 127,512 | 99,624 | 86,520 |
| Tam Nông | | | | | | |
| Earth | m3 | 427,209 | 412,247 | 404,855 | 354,791 | 334,232 |
| Dig | m3 | 512,651 | 494,696 | 485,826 | 425,749 | 401,079 |
| Beton | m3 | 6,186 | 6,042 | 5,970 | 5,467 | 5,251 |
| Pump HTD 2400 | | 5 | 5 | 5 | 5 | 5 |
| Long Xuyen City | m3 | 714,929 | 687,127 | 647,758 | 614,466 | 576,178 |
| Earth | m3 | 368,440 | 354,234 | 334,115 | 317,089 | 297,493 |
| Dig | m3 | 442,128 | 425,081 | 400,937 | 380,507 | 356,991 |
| Beton | m3 | 21,069 | 19,968 | 18,419 | 17,138 | 15,698 |
| Pump HTD 2400 | cái | 11 | 11 | 11 | 11 | 11 |
| LX 1 | | | | | | |
| Earth | m3 | 89,893 | 86,427 | 81,518 | 77,364 | 72,583 |
| Dig | m3 | 107,871 | 103,712 | 97,821 | 92,837 | 87,099 |
| Beton | m3 | 7,895 | 7,450 | 6,826 | 6,312 | 5,737 |
| Pump HTD 2400 | | 4 | 4 | 4 | 4 | 4 |
| LX 2 | | | | | | |
| Earth | m3 | 143,588 | 138,052 | 130,211 | 123,576 | 115,939 |
| Dig | m3 | 172,306 | 165,663 | 156,253 | 148,291 | 139,127 |
| Beton | m3 | 6,342 | 6,033 | 5,596 | 5,233 | 4,824 |
| Pump HTD 2400 | | 4 | 4 | 4 | 4 | 4 |
| LX 3 | | | | | | |
| Earth | m3 | 83,420 | 80,204 | 75,649 | 71,794 | 67,357 |
| Dig | m3 | 100,104 | 96,245 | 90,778 | 86,152 | 80,828 |
| Beton | m3 | 3,500 | 3,331 | 3,094 | 2,897 | 2,675 |
| Pump HTD 2400 | | 2 | 2 | 2 | 2 | 2 |
| LX 4 | | | | | | |
| Earth | | 51,538 | 49,551 | 46,737 | 44,355 | 41,614 |
| Dig | | 61,846 | 59,462 | 56,084 | 53,226 | 49,937 |
| Beton | | 3,332 | 3,154 | 2,903 | 2,695 | 2,462 |
| Pump HTD 2400 | | 1 | 1 | 1 | 1 | 1 |
| Sa Đéc | | | | | | |
| Beton | m3 | 11,717 | 11,207 | 10,498 | 9,920 | 9,281 |
| Pump HTD 2400 | | 6 | 6 | 6 | 6 | 6 |
| Cái Bè | | | | | | |
| Earth | m3 | 119,280 | 107,380 | 101,500 | 95,760 | 90,160 |
| Dig | m3 | 143,136 | 128,856 | 121,800 | 114,912 | 108,192 |

7.10 Cost estimates

The investment costs per ha is presented in Table 7.5:

Table 7.5 Investment for flood protection at various exceedance frequencies (USD/ha)

| Areas | Frequency of exceedance | | | | |
|---------------|-------------------------|--------|--------|--------|--------|
| | 1% | 2% | 5% | 10% | 20% |
| Châu Phú | 185 | 138 | 109 | 95 | 82 |
| Tân Hồng | 260 | 183 | 149 | 116 | 101 |
| Tam Nông | 8,248 | 8,071 | 7,983 | 7,372 | 7,114 |
| TP.Long Xuyên | 14,578 | 13,949 | 13,063 | 12,328 | 11,502 |
| LX1 | 13,378 | 12,753 | 11,875 | 11,150 | 10,339 |
| LX2 | 13,556 | 13,024 | 12,273 | 11,649 | 10,944 |
| LX3 | 16,525 | 15,875 | 14,958 | 14,195 | 13,331 |
| LX4 | 19,371 | 18,452 | 17,160 | 16,090 | 14,889 |
| Sa Đéc | 10,160 | 9,790 | 9,277 | 8,858 | 8,394 |
| Cái bè | 167 | 150 | 142 | 134 | 126 |

The required investments for each sample areas at various protection levels are also depicted in Appendix 6.




Figure 7.12 Investments at various exceedance probabilities, Chau Phu Tan Hong




Figure 7.13 Investments at various exceedance probabilities,




Figure 7.14 Investments at various exceedance probabilities, Long Xuyen Tam Nong




Figure 7.15 Investments at various exceedance probabilities, Tam Nong




Figure 7.16 Investments at various exceedance probabilities, Sa Dec Cai Be




Figure 7.17 Investments at various exceedance probabilities, Cai Be

8 COST BENEFIT ANALYSIS

8.1 Methodology for Cost / Benefit Analysis

From the Flood Risk Assessment, the actual flood protection levels that have been identified and the measures that would be required for increased protection levels we can investigate at which level the protection would be optimal in economic terms.

Cost estimates for flood protection works have been converted to an annuity in USD/ha/year, including

- The Investment (construction in year 1)
- annual O&M at 2% of investment
- Replacement of electromechanical equipment (pumps) where relevant
- A Standard Conversion Factor of 0.85 to arrive at the economic price of the works (removing transfer payments like taxes, subsidies, land acquisition; and shadow prices);
- A discounting rate of 10%

Benefits of the works have been converted and expressed in USD/ha/year, these follow directly from the Flood Risk Assessment.

The Benefit / Cost ratio is applied to test the economic efficiency of each scheme under the various probabilities of exceedance of water levels at the sample areas.

Distinction is made between the three categories Infrastructure, Housing and Agriculture. Since protection of agricultural land in the deep flood areas is only up to the beginning of August and is already at about 10% on average, the focus in the deep flooded areas is to find an optimum for protection of Infrastructure and Housing. Taking into account that in most situations in these three districts flood protection measures would protect these two categories at the same time, we have also estimated the B/C ratio for these two categories combined.

Results of the analysis are presented in Table 8.1 where the highlighted figures (in green) show B/C ratios higher than 1, meaning that for those frequencies measures are economically feasible for those categories.

Table 8.1 B/C ratios of flood protection works

| T (year) | 100 | 50 | 20 | 10 | 5 |
|------------------------------------|-------|-------|-------|-------|-------|
| P(%) | 1% | 2% | 5% | 10% | 20% |
| Infrastructure | | | | | |
| B/C | | | | | |
| Châu Phú | 7.94 | 9.61 | 8.54 | 4.72 | 0.39 |
| Tam Nông | 0.16 | 0.16 | 0.12 | 0.07 | 0.01 |
| Tân Hồng | 5.47 | 7.03 | 6.30 | 4.57 | 1.71 |
| Long Xuyên | 0.31 | 0.29 | 0.21 | 0.15 | 0.13 |
| Sa Đéc | 0.17 | 0.16 | 0.13 | 0.07 | 0.01 |
| Cái Bè | 10.34 | 9.56 | 6.09 | 3.36 | 2.68 |
| Housing | | | | | |
| B/C | | | | | |
| Châu Phú | 5.20 | 6.52 | 6.55 | 4.88 | 1.77 |
| Tam Nông | 0.68 | 0.67 | 0.55 | 0.42 | 0.21 |
| Tân Hồng | 13.29 | 17.80 | 18.28 | 17.29 | 10.52 |
| Long Xuyên | 0.03 | 0.03 | 0.02 | 0.01 | 0.00 |
| Sa Đéc | 0.39 | 0.38 | 0.30 | 0.19 | 0.03 |
| Cái Bè | 14.44 | 14.47 | 11.37 | 7.13 | 1.80 |
| Infrastructure plus Housing | | | | | |
| B/C | | | | | |
| Châu Phú | 7.09 | 8.65 | 7.92 | 4.77 | 0.82 |
| Tam Nông | 0.26 | 0.25 | 0.19 | 0.13 | 0.05 |
| Tân Hồng | 7.65 | 10.04 | 9.65 | 8.13 | 4.17 |
| Long Xuyên | 0.15 | 0.14 | 0.10 | 0.07 | 0.06 |
| Sa Đéc | 0.26 | 0.25 | 0.20 | 0.12 | 0.02 |
| Cái Bè | 11.87 | 11.39 | 8.06 | 4.77 | 2.35 |
| Agriculture | | | | | |
| B/C | | | | | |
| Châu Phú | 0.00 | 0.00 | 0.00 | - | - |
| Tam Nông | 0.00 | 0.00 | 0.00 | 0.00 | - |
| Tân Hồng | 0.13 | 0.15 | 0.09 | 0.01 | - |
| Long Xuyên | 0.00 | 0.00 | 0.00 | - | - |
| Sa Đéc | 0.02 | 0.02 | 0.02 | 0.01 | 0.00 |
| Cái Bè | 1.93 | 1.79 | 1.10 | 0.35 | 0.00 |
| Total | | | | | |
| B/C | | | | | |
| Châu Phú | 0.61 | 0.74 | 0.67 | 0.40 | 0.07 |
| Tam Nông | 0.03 | 0.03 | 0.02 | 0.01 | 0.00 |
| Tân Hồng | 1.17 | 1.51 | 1.41 | 1.13 | 0.57 |
| Long Xuyên | 0.05 | 0.05 | 0.03 | 0.02 | 0.02 |
| Sa Đéc | 0.08 | 0.08 | 0.06 | 0.04 | 0.01 |
| Cái Bè | 2.88 | 2.71 | 1.76 | 0.77 | 0.23 |

8.2 Optimum Protection Levels

Optimum levels of protection can be found by plotting the B/C ratios in graphs, this is only useful for three districts Tan Chau, Tan Hong and Cai Be, see Figure 8.1 to Figure 8.3. For the other three districts providing increased protection levels costs far more than the benefits it will deliver.




Figure 8.1 B/C ratios for different frequencies and damage categories, Chau Phu district




Figure 8.2 B/C ratios for different frequencies and damage categories, Tan Hong district




Figure 8.3 B/C ratios for different frequencies and damage categories, Cai Be district

8.3 Observations

8.3.1 Protection for agricultural land

Though the flood damage assessment includes agricultural damages in Long Xuyen City and Sa Dec Town, these areas are in fact urban areas and the agricultural damage is of little importance.

In the deep flooded areas the protection level is already at around 10% and as per the governing policy of Vietnam, this will remain so. The B/C ratio findings for these three districts confirm that there is nothing to be gained by providing higher protection levels.

Only for Cai Be, there is a potential benefit in providing higher levels of protection also for agriculture, but here also benefits would really come from protecting infrastructure and housing. However, so far for this polder type of protection the current cost estimate do not yet include costs for pumping that will be required for drainage of excess rain water.

8.3.2 Protection for infrastructure and housing

For the urban areas Long Xuyen and Sa Dec, no economically feasible solution has been obtained, this is caused by the very high investment required due to the urban environment where raising of existing dykes through earthwork would require too much land acquisition and replacement costs, instead concrete walls on top of existing dikes are considered. Pumped drainage is added for drainage of excess rain water.

For Tam Nong the situation is rather complex, in developing the sample area protection measures a choice was for providing space for town development, in other word, providing the sample area with full year round protection, which from the above analysis appears not to be feasible, however this conclusion may not hold when the future urban / industrial and commercial land use would be integrated in the analysis which is not well

possible by lack of data on what that would entail. Hence the outcome for Tam Hong is not representative for the district as a whole, for the district it is very likely that B>C ratios would be similar as those for Chau Phu and Tan Hong.

Protection of infrastructure and housing at village level is feasible for villages in the deep flooded areas that would give very high benefits. Optimal protection level would than be at 2% probability of exceedance. This is also the case for villages in shallow flood areas where full flood protection is not yet available. Cai Be serves than as an example.

As compared with the actual levels of protection for infrastructure and housing, in these areas, upgrading to 2% means in general a more than tenfold increase in safety

8.3.3 Limitations in the analysis

The presented analysis has a number of limitations and uncertainties.

Damage categories are based on actual and official flood damage obtained from district authorities, the dataset obtained was complete for the categories that we have used, other damage categories such as on public health, are not being inventoried by the districts, damages might be greater if those would be inventoried,

Flood damage data was collected for 2000 till 2007, though having a reasonable spread in flood events from big to small, the period is rather short.

The preliminary engineering designs for the measures in the sample areas are based on experience, no detailed topographical surveys and geotechnical investigations could be carried out in the framework of this DP. Slope stability and dyke strength are assumed to comply with the requirement. In each specific case field surveys and detailed design of works may lead to different typical dyke profiles.

Dyke crest width has been taken at 6.00m, which may be too much for flood protection but is selected for road transport reasons, costs may therefore be on the high side, but we believe that removing part of the cost that is attributable to transport would have no significant impact on the B/C ratios that we found.

Water levels have been simulated with the aid of VRSAP, though this is a very comprehensive model of the Mekong Delta, it provides a representation of the situation and contains uncertainties. Usually this is taken care of as an element in the determination of the freeboard that is to be applied.

Appendix 1: Flood water level in represented locations (amsl - Ha Tien datum)

| No | District Node | Hmax_Year Tan Hong 338 C | Hmax_Year Tam Nong 418 C | Hmax_Year Chau Phu 672 C | Hmax_Year Long Xuyen 109 C | Hmax_Year Sa Dec 995 C | Hmax_Year Cai Be 586 C | Hmax_Aug Tan Hong 338 C | Hmax_Aug Tam Nong 418 C | Hmax_Aug Chau Phu 672 C |
|----|---------------|--------------------------|--------------------------|--------------------------|----------------------------|------------------------|------------------------|-------------------------|-------------------------|-------------------------|
| 1 | 1910 | 4.40 | 3.53 | 3.17 | 2.56 | 1.99 | 1.78 | 2.34 | 1.90 | 1.66 |
| 2 | 1911 | 4.11 | 3.26 | 2.98 | 2.48 | 1.94 | 1.73 | 2.98 | 2.33 | 2.11 |
| 3 | 1912 | 4.62 | 3.67 | 3.18 | 2.59 | 2.02 | 1.83 | 2.18 | 1.79 | 1.48 |
| 4 | 1913 | 4.35 | 3.46 | 3.07 | 2.54 | 2.02 | 1.80 | 2.48 | 2.00 | 1.75 |
| 5 | 1914 | 5.29 | 4.35 | 3.47 | 2.78 | 2.19 | 1.96 | 2.89 | 2.26 | 2.05 |
| 6 | 1915 | 3.68 | 2.98 | 2.90 | 2.40 | 1.99 | 1.76 | 2.02 | 1.68 | 1.40 |
| 7 | 1916 | 3.82 | 3.10 | 2.92 | 2.46 | 1.94 | 1.71 | 2.17 | 1.80 | 1.52 |
| 8 | 1917 | 4.32 | 3.41 | 3.07 | 2.52 | 2.01 | 1.79 | 2.31 | 1.88 | 1.61 |
| 9 | 1918 | 5.28 | 4.41 | 3.57 | 2.88 | 2.26 | 2.10 | 2.48 | 2.01 | 1.76 |
| 10 | 1919 | 5.35 | 4.36 | 3.35 | 2.60 | 2.05 | 1.88 | 2.30 | 1.88 | 1.55 |
| 11 | 1920 | 4.71 | 3.81 | 3.30 | 2.69 | 2.11 | 1.85 | 2.72 | 2.12 | 1.87 |
| 12 | 1921 | 4.13 | 3.30 | 3.02 | 2.52 | 1.98 | 1.76 | 2.36 | 1.92 | 1.65 |
| 13 | 1922 | 4.89 | 3.95 | 3.32 | 2.68 | 2.15 | 1.92 | 2.58 | 2.06 | 1.81 |
| 14 | 1923 | 5.85 | 4.85 | 3.65 | 2.91 | 2.27 | 2.14 | 2.82 | 2.29 | 2.01 |
| 15 | 1924 | 5.21 | 4.28 | 3.41 | 2.68 | 2.12 | 2.01 | 3.38 | 2.42 | 2.18 |
| 16 | 1925 | 4.86 | 3.95 | 3.31 | 2.65 | 2.10 | 1.93 | 2.64 | 2.13 | 1.88 |
| 17 | 1926 | 4.37 | 3.49 | 3.09 | 2.52 | 2.00 | 1.83 | 2.27 | 1.86 | 1.58 |
| 18 | 1927 | 4.61 | 3.60 | 3.09 | 2.51 | 2.01 | 1.83 | 3.32 | 2.41 | 2.19 |
| 19 | 1928 | 4.20 | 3.33 | 2.99 | 2.47 | 1.96 | 1.76 | 3.37 | 2.56 | 2.33 |
| 20 | 1929 | 5.05 | 4.13 | 3.42 | 2.77 | 2.16 | 1.90 | 2.69 | 2.20 | 1.93 |
| 21 | 1930 | 5.05 | 4.13 | 3.42 | 2.77 | 2.16 | 1.90 | 2.69 | 2.20 | 1.93 |
| 22 | 1931 | 3.87 | 3.13 | 2.96 | 2.46 | 1.97 | 1.73 | 1.75 | 1.49 | 1.22 |
| 23 | 1932 | 4.03 | 3.24 | 2.99 | 2.50 | 1.97 | 1.76 | 2.87 | 2.21 | 1.99 |
| 24 | 1933 | 4.05 | 3.18 | 2.95 | 2.49 | 1.96 | 1.69 | 2.57 | 2.05 | 1.81 |
| 25 | 1934 | 5.16 | 4.28 | 3.50 | 2.83 | 2.23 | 2.04 | 2.31 | 1.87 | 1.60 |
| 26 | 1935 | 4.27 | 3.40 | 3.05 | 2.51 | 2.00 | 1.80 | 2.97 | 2.30 | 2.10 |
| 27 | 1936 | 4.56 | 3.60 | 3.14 | 2.58 | 2.04 | 1.82 | 2.70 | 2.14 | 1.91 |
| 28 | 1937 | 5.69 | 4.76 | 3.71 | 3.02 | 2.38 | 2.33 | 3.65 | 2.63 | 2.35 |
| 29 | 1938 | 4.84 | 3.91 | 3.30 | 2.67 | 2.13 | 1.94 | 2.94 | 2.37 | 2.13 |
| 30 | 1939 | 5.61 | 4.73 | 3.65 | 2.84 | 2.20 | 2.12 | 2.87 | 2.25 | 2.04 |
| 31 | 1940 | 5.67 | 4.69 | 3.64 | 2.97 | 2.34 | 2.22 | 2.91 | 2.28 | 2.07 |
| 32 | 1941 | 4.40 | 3.50 | 3.12 | 2.56 | 2.01 | 1.83 | 2.49 | 2.04 | 1.74 |
| 33 | 1942 | 4.58 | 3.74 | 3.27 | 2.65 | 2.11 | 1.89 | 3.03 | 2.39 | 2.17 |
| 34 | 1943 | 5.13 | 4.28 | 3.52 | 2.87 | 2.25 | 1.99 | 2.83 | 2.24 | 2.02 |
| 35 | 1944 | 4.17 | 3.31 | 2.99 | 2.42 | 1.96 | 1.74 | 2.48 | 1.99 | 1.73 |
| 36 | 1945 | 4.82 | 3.95 | 3.35 | 2.74 | 2.17 | 1.93 | 2.81 | 2.28 | 2.03 |
| 37 | 1946 | 4.98 | 4.11 | 3.47 | 2.83 | 2.23 | 2.00 | 2.58 | 2.10 | 1.83 |
| 38 | 1947 | 5.06 | 4.17 | 3.47 | 2.84 | 2.25 | 2.03 | 3.42 | 2.68 | 2.41 |
| 39 | 1948 | 5.49 | 4.52 | 3.54 | 2.84 | 2.28 | 2.19 | 2.62 | 2.10 | 1.86 |
| 40 | 1949 | 4.84 | 3.97 | 3.42 | 2.77 | 2.17 | 1.93 | 1.98 | 1.65 | 1.35 |
| 41 | 1950 | 4.78 | 3.82 | 3.26 | 2.65 | 2.11 | 1.94 | 2.72 | 2.17 | 1.93 |
| 42 | 1951 | 4.82 | 3.85 | 3.24 | 2.65 | 2.06 | 1.86 | 2.52 | 2.05 | 1.81 |
| 43 | 1952 | 5.01 | 4.16 | 3.48 | 2.83 | 2.24 | 2.05 | 2.28 | 1.86 | 1.56 |
| 44 | 1953 | 4.04 | 3.25 | 3.00 | 2.51 | 1.97 | 1.73 | 2.39 | 1.94 | 1.68 |
| 45 | 1954 | 4.61 | 3.66 | 3.21 | 2.65 | 2.07 | 1.80 | 1.54 | 1.37 | 1.15 |
| 46 | 1955 | 3.43 | 2.83 | 2.72 | 2.35 | 1.87 | 1.62 | 2.30 | 1.88 | 1.61 |
| 47 | 1956 | 4.67 | 3.79 | 3.25 | 2.65 | 2.11 | 1.89 | 2.32 | 1.91 | 1.63 |
| 48 | 1957 | 4.04 | 3.25 | 3.00 | 2.48 | 1.99 | 1.77 | 2.44 | 1.98 | 1.72 |
| 49 | 1958 | 4.52 | 3.57 | 3.13 | 2.59 | 2.06 | 1.81 | 2.50 | 2.02 | 1.77 |
| 50 | 1959 | 3.97 | 3.22 | 3.01 | 2.50 | 1.96 | 1.73 | 1.82 | 1.54 | 1.27 |
| 51 | 1960 | 4.46 | 3.56 | 3.16 | 2.59 | 2.06 | 1.86 | 1.76 | 1.50 | 1.22 |
| 52 | 1961 | 5.45 | 4.55 | 3.62 | 2.95 | 2.32 | 2.20 | 2.70 | 2.21 | 1.94 |
| 53 | 1962 | 4.29 | 3.40 | 3.07 | 2.54 | 2.02 | 1.78 | 2.70 | 2.17 | 1.94 |
| 54 | 1963 | 4.20 | 3.39 | 3.10 | 2.55 | 2.01 | 1.78 | 2.54 | 2.04 | 1.79 |
| 55 | 1964 | 4.58 | 3.67 | 3.18 | 2.61 | 2.07 | 1.87 | 2.14 | 1.74 | 1.47 |
| 56 | 1965 | 3.59 | 2.90 | 2.75 | 2.33 | 1.89 | 1.63 | 2.71 | 2.20 | 1.95 |
| 57 | 1966 | 5.27 | 4.33 | 3.45 | 2.76 | 2.22 | 2.07 | 2.73 | 2.16 | 1.93 |
| 58 | 1967 | 4.10 | 3.31 | 3.04 | 2.52 | 1.97 | 1.75 | 2.10 | 1.74 | 1.40 |
| 59 | 1968 | 4.40 | 3.45 | 3.06 | 2.51 | 1.99 | 1.76 | 1.79 | 1.52 | 1.25 |
| 60 | 1969 | 3.93 | 3.18 | 2.94 | 2.46 | 1.96 | 1.73 | 2.91 | 2.30 | 2.07 |
| 61 | 1970 | 4.84 | 3.92 | 3.33 | 2.69 | 2.14 | 1.95 | 2.84 | 2.30 | 2.05 |
| 62 | 1971 | 4.59 | 3.71 | 3.21 | 2.62 | 2.04 | 1.87 | 3.69 | 2.85 | 2.49 |
| 63 | 1972 | 4.25 | 3.37 | 2.99 | 2.46 | 1.92 | 1.75 | 2.20 | 1.80 | 1.53 |
| 64 | 1973 | 4.46 | 3.55 | 3.15 | 2.59 | 2.05 | 1.81 | 2.32 | 1.90 | 1.64 |
| 65 | 1974 | 4.40 | 3.51 | 3.09 | 2.54 | 1.99 | 1.81 | 2.01 | 1.67 | 1.39 |
| 66 | 1975 | 4.51 | 3.60 | 3.17 | 2.61 | 2.07 | 1.84 | 2.43 | 1.98 | 1.71 |
| 67 | 1976 | 3.61 | 2.92 | 2.77 | 2.36 | 1.95 | 1.70 | 2.00 | 1.66 | 1.36 |
| 68 | 1977 | 3.48 | 2.86 | 2.76 | 2.37 | 1.88 | 1.61 | 1.88 | 1.58 | 1.31 |
| 69 | 1978 | 5.17 | 4.22 | 3.50 | 2.83 | 2.23 | 2.01 | 2.70 | 2.17 | 1.92 |
| 70 | 1979 | 3.94 | 3.15 | 2.95 | 2.48 | 1.94 | 1.68 | 2.52 | 2.05 | 1.79 |
| 71 | 1980 | 4.65 | 3.73 | 3.22 | 2.65 | 2.09 | 1.83 | 2.19 | 1.80 | 1.50 |
| 72 | 1981 | 4.64 | 3.70 | 3.09 | 2.46 | 1.95 | 1.78 | 3.29 | 2.62 | 2.35 |
| 73 | 1982 | 4.16 | 3.34 | 3.01 | 2.49 | 1.99 | 1.79 | 2.09 | 1.73 | 1.45 |
| 74 | 1983 | 3.95 | 3.16 | 2.97 | 2.46 | 1.97 | 1.73 | 1.65 | 1.42 | 1.17 |
| 75 | 1984 | 4.93 | 3.99 | 3.30 | 2.69 | 2.11 | 1.90 | 2.33 | 1.90 | 1.63 |
| 76 | 1985 | 4.31 | 3.42 | 3.07 | 2.55 | 2.02 | 1.79 | 2.43 | 1.98 | 1.71 |
| 77 | 1986 | 4.18 | 3.31 | 2.98 | 2.48 | 1.93 | 1.73 | 2.33 | 1.89 | 1.62 |
| 78 | 1987 | 3.75 | 3.02 | 2.81 | 2.40 | 1.91 | 1.67 | 2.00 | 1.64 | 1.36 |
| 79 | 1988 | 3.03 | 2.56 | 2.54 | 2.24 | 1.86 | 1.61 | 1.67 | 1.43 | 1.18 |
| 80 | 1989 | 3.61 | 2.89 | 2.75 | 2.36 | 1.90 | 1.67 | 2.17 | 1.78 | 1.51 |
| 81 | 1990 | 4.42 | 3.56 | 3.18 | 2.61 | 2.05 | 1.86 | 2.62 | 2.14 | 1.86 |
| 82 | 1991 | 4.95 | 4.02 | 3.32 | 2.65 | 2.08 | 1.88 | 2.48 | 1.99 | 1.74 |
| 83 | 1992 | 3.46 | 2.71 | 2.61 | 2.30 | 1.85 | 1.60 | 2.11 | 1.74 | 1.45 |
| 84 | 1993 | 3.68 | 2.96 | 2.79 | 2.36 | 1.89 | 1.65 | 2.34 | 1.90 | 1.64 |
| 85 | 1994 | 4.77 | 3.84 | 3.28 | 2.69 | 2.13 | 1.94 | 3.31 | 2.59 | 2.32 |
| 86 | 1995 | 4.68 | 3.76 | 3.20 | 2.61 | 2.03 | 1.85 | 2.30 | 1.87 | 1.57 |
| 87 | 1996 | 5.53 | 4.57 | 3.60 | 2.93 | 2.28 | 2.01 | 2.39 | 1.93 | 1.67 |
| 88 | 1997 | 4.57 | 3.58 | 3.11 | 2.56 | 2.02 | 1.83 | 2.98 | 2.29 | 2.09 |
| 89 | 1998 | 3.04 | 2.52 | 2.46 | 2.23 | 1.80 | 1.54 | 1.96 | 1.62 | 1.35 |
| 90 | 1999 | 4.00 | 3.22 | 2.98 | 2.50 | 1.97 | 1.71 | 2.58 | 2.06 | 1.80 |
| 91 | 2000 | 5.68 | 4.71 | 3.65 | 2.91 | 2.31 | 2.28 | 4.22 | 3.29 | 2.72 |
| 92 | 2001 | 5.17 | 4.28 | 3.49 | 2.81 | 2.20 | 2.10 | 3.02 | 2.43 | 2.20 |
| 93 | 2002 | 5.22 | 4.32 | 3.49 | 2.86 | 2.28 | 2.12 | 3.10 | 2.50 | 2.25 |
| 94 | 2003 | 4.29 | 3.38 | 3.04 | 2.51 | 2.00 | 1.74 | 2.00 | 1.67 | 1.38 |
| 95 | 2004 | 4.66 | 3.78 | 3.28 | 2.66 | 2.12 | 1.86 | 2.37 | 1.92 | 1.62 |
| 96 | 2005 | 4.67 | 3.80 | 3.31 | 2.70 | 2.14 | 1.92 | 2.56 | 2.02 | 1.74 |
| 97 | 2006 | 4.37 | 3.44 | 3.12 | 2.56 | 2.04 | 1.82 | 2.60 | 2.08 | 1.84 |

Appendix 2: Direct flood damages (VND mln at current price)

| Year and categories | Chau Phu | Long Xuyen | Tan Hong | Tam Nong | Sa Dec | Cai Be |
|------------------------------------|---------------|---------------|---------------|----------------|---------------|----------------|
| Flood 2000 | 41,742 | 79,384 | 78,438 | 126,253 | 36,402 | 388,437 |
| 1 Direct damages on Housing | 5,071 | 6,492 | 12,654 | 16,950 | 13,309 | 21,347 |
| 2 Direct damages on Agriculture | 1,636 | 1,322 | 31,273 | 70,052 | 11,612 | 305,622 |
| 3 Direct damages on Infrastructure | 30,413 | 55,312 | 27,038 | 31,780 | 11,189 | 61,408 |
| 4 Relief & emergency | 4,622 | 16,259 | 7,472 | 7,472 | 292 | 61 |
| Flood 2001 | 10,512 | 8,288 | 32,020 | 36,737 | 15,143 | 73,291 |
| 1 Direct damages on Housing | 3,126 | 2,973 | 18,113 | 17,150 | 6,132 | 15,442 |
| 2 Direct damages on Agriculture | 16 | 143 | 2,124 | 4,044 | 5,765 | 44,768 |
| 3 Direct damages on Infrastructure | 6,106 | 4,670 | 9,739 | 13,786 | 3,247 | 13,081 |
| 4 Relief & emergency | 1,265 | 502 | 2,044 | 1,757 | 0 | 0 |
| Flood 2002 | 10,038 | 3,350 | 8,231 | 8,245 | 5,687 | 29,166 |
| 1 Direct damages on Housing | 2,546 | 255 | 3,067 | 3,791 | 4,100 | 12,857 |
| 2 Direct damages on Agriculture | 40 | 36 | 0 | 0 | 61 | 46 |
| 3 Direct damages on Infrastructure | 7,453 | 3,059 | 4,238 | 3,956 | 1,522 | 16,264 |
| 4 Relief & emergency | 0 | 0 | 926 | 498 | 4 | 0 |
| Flood 2003 | 0 | 0 | 0 | 252 | 0 | 0 |
| 1 Direct damages on Housing | 0 | 0 | 0 | 93 | 0 | 0 |
| 2 Direct damages on Agriculture | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 Direct damages on Infrastructure | 0 | 0 | 0 | 159 | 0 | 0 |
| 4 Relief & emergency | 0 | 0 | 0 | 0 | 0 | 0 |
| Flood 2004 | 1,499 | 952 | 2,553 | 567 | 332 | 0 |
| 1 Direct damages on Housing | 376 | 128 | 53 | 419 | 0 | 0 |
| 2 Direct damages on Agriculture | 0 | 6 | 0 | 0 | 0 | 0 |
| 3 Direct damages on Infrastructure | 1,123 | 818 | 2,500 | 148 | 332 | 0 |
| 4 Relief & emergency | 0 | 0 | 0 | 0 | 0 | 0 |
| Flood 2005 | 1,161 | 261 | 1,878 | 317 | 265 | 0 |
| 1 Direct damages on Housing | 122 | 61 | 0 | 0 | 0 | 0 |
| 2 Direct damages on Agriculture | 0 | 0 | 306 | 36 | 0 | 0 |
| 3 Direct damages on Infrastructure | 1,039 | 200 | 1,572 | 281 | 233 | 0 |
| 4 Relief & emergency | 0 | 0 | 0 | 0 | 32 | 0 |
| Flood 2006 | 43 | 250 | 3,399 | 1,850 | 29 | 0 |
| 1 Direct damages on Housing | 43 | 0 | 1,080 | 1,280 | 20 | 0 |
| 2 Direct damages on Agriculture | 0 | 0 | 0 | 0 | 0 | 0 |
| 3 Direct damages on Infrastructure | 0 | 250 | 2,279 | 530 | 0 | 0 |
| 4 Relief & emergency | 0 | 0 | 40 | 40 | 9 | 0 |
| Flood 2007 | 37 | 450 | 534 | 1,837 | 43 | 0 |
| 1 Direct damages on Housing | 0 | 0 | 25 | 165 | 20 | 0 |
| 2 Direct damages on Agriculture | 0 | 0 | 0 | 0 | 23 | 0 |
| 3 Direct damages on Infrastructure | 37 | 450 | 509 | 1,672 | 0 | 0 |
| 4 Relief & emergency | 0 | 0 | 0 | 0 | 0 | 0 |
| Flood 2008 | 9,090 | 1,528 | 0 | 0 | 0 | 0 |
| 1 Direct damages on Housing | 0 | 0 | 0 | 0 | 0 | 0 |
| 2 Direct damages on Agriculture | 9,090 | 1,528 | 0 | 0 | 0 | 0 |
| 3 Direct damages on Infrastructure | 0 | 0 | 0 | 0 | 0 | 0 |
| 4 Relief & emergency | 0 | 0 | 0 | 0 | 0 | 0 |

Source: Provincial Department Natural Disaster Mitigation & Management

Appendix 3: Flood damage in six selected districts**CHAU PHU, AG**

| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 155 | 140 | 112 | 98 | 47 | 3 | 0 |
| Housing | 102 | 95 | 82 | 75 | 49 | 15 | 2 |
| Agriculture | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 12 | 11 | 9 | 8 | 4 | 1 | 0 |

LONG XUYEN, AG

| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 494 | 428 | 331 | 295 | 197 | 158 | 76 |
| Housing | 51 | 45 | 36 | 32 | 17 | 1 | 0 |
| Agriculture | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| TOTAL | 76 | 66 | 51 | 46 | 29 | 21 | 10 |

TAM NONG, DT

| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 147 | 134 | 109 | 97 | 54 | 8 | 0 |
| Housing | 612 | 572 | 500 | 465 | 329 | 155 | 49 |
| Agriculture | 4 | 3 | 2 | 1 | 0 | 0 | 0 |
| TOTAL | 27 | 24 | 20 | 18 | 11 | 4 | 1 |

TAN HONG, DT

| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 150 | 136 | 111 | 99 | 56 | 18 | 5 |
| Housing | 365 | 344 | 305 | 287 | 212 | 112 | 31 |
| Agriculture | 4 | 3 | 2 | 1 | 0 | 0 | 0 |
| TOTAL | 32 | 29 | 24 | 22 | 14 | 6 | 2 |










SA DEC, DT










| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 184 | 166 | 136 | 123 | 70 | 8 | 2 |
| Housing | 426 | 388 | 323 | 296 | 178 | 27 | 0 |
| Agriculture | 27 | 25 | 22 | 20 | 13 | 4 | 0 |
| TOTAL | 87 | 79 | 66 | 61 | 37 | 7 | 0 |










CAI BE, TG



| Potential Risk (Potential flood risk (US\$/year/ha) | | | | | | | |
|---|-----|-----|-----|-----|-----|-----|-----|
| T (year) | 100 | 50 | 25 | 20 | 10 | 5 | 2 |
| P(%) | 1% | 2% | 4% | 5% | 10% | 20% | 50% |
| Infrastructure | 182 | 152 | 109 | 91 | 48 | 36 | 18 |
| Housing | 255 | 230 | 189 | 171 | 101 | 24 | 2 |
| Agriculture | 34 | 28 | 20 | 16 | 5 | 0 | 0 |
| TOTAL | 51 | 43 | 31 | 26 | 11 | 3 | 1 |

Appendix 4: Stage Discharge Relations









Appendix 5: Unit rates

TOANG HOP DOI TOAN CHI PHI XAY DONG

1. Beton unit cost

| STT | Cost items | Symbol | CalculationFormula | Results |
|------|--------------------------|--------|--------------------|------------------|
| I. | Direct cost | T | VL + NC + M + TT | 2,025,246 |
| 1 | Material | M | | 1,586,201 |
| 2 | Labour | NC | NC x 1.44 | 346,765 |
| 3 | Machine | M | MTC x 1.14 | 62,350 |
| 4 | Other direct cost | TT | 1.5% (VL+NC+M) | 29,930 |
| | Total direct cost | T | VL + NC + M + TT | 2,025,246 |
| II. | Common cost | C | 5.5% x T | 111,389 |
| III. | Income before tax | TL | 5,5% (T+C) | 117,515 |
| | Cost before tax | G | T + C + TL | 2,254,149 |
| IV. | VAT | GTGT | 10% x G | 225,415 |
| | Cost after tax | GXD | G + GTGT | 2,479,564 |
| V. | Cost for set up tent | GxDNT | G x 1% x 1.1 | 24,796 |
| | Sum | GXD | GXD + GxDNT | 2,504,360 |
| | Total | G | GXD x30% | 3,255,668 |

2. Coponent of one cubic metter beton

| | | | |
|-------------|----|--|-------|
| Beton 200# | m3 | | 1 |
| Sand | m3 | | 0.45 |
| Rock 1x2 cm | m3 | | 0.866 |
| Frest water | m3 | | 0.195 |
| Cement | kg | | 361 |

3. Unit cost for earth digging

| STT | Cost items | Symbol | CalculationFormula | Results |
|------|--------------------------|------------------|------------------------------------|--------------|
| I. | Direct cost | T | VL + NC + M + TT | 4,423 |
| 1 | Material | VL | | 0 |
| 2 | Labour | NC | NC x 1.44 | 368 |
| 3 | Machine | M | MTC x 1.14 | 3,990 |
| 4 | Other direct cost | TT | 1.5% (VL+NC+M) | 65 |
| | Total direct cost | T | VL + NC + M + TT | 4,423 |
| II. | Common cost | C | 5.5% x T | 243 |
| III. | Income before tax | TL | 5,5% (T+C) | 257 |
| | Cost before tax | G | T + C + TL | 4,923 |
| IV. | VAT | GTGT | 10% x G | 492 |
| | Cost after tax | G ^{XD} | G + GTGT | 5,416 |
| V. | Cost for set up tent | G _{DNT} | G x 1% x 1.1 | 54 |
| | Sum | G _{XD} | G ^{XD} + G _{DNT} | 5,470 |
| | Total | G | G ^{XD} x30% | 7,111 |

4. Unit cost for embankment

| STT | Cost items | Symbol | CalculationFormula | Results |
|------|--------------------------|------------------|------------------------------------|--------------|
| I. | Direct cost | T | VL + NC + M + TT | 4,807 |
| 1 | Material | VL | | 0 |
| 2 | Labour | NC | NC x 1.44 | 368 |
| 3 | Machine | M | MTC x 1.14 | 4,367 |
| 4 | Other direct cost | TT | 1.5% (VL+NC+M) | 71 |
| | Total direct cost | T | VL + NC + M + TT | 4,807 |
| II. | Common cost | C | 5.5% x T | 264 |
| III. | Income before tax | TL | 5,5% (T+C) | 279 |
| | Cost before tax | G | T + C + TL | 5,350 |
| IV. | VAT | GTGT | 10% x G | 535 |
| | Cost after tax | G ^{XD} | G + GTGT | 5,885 |
| V. | Cost for set up tent | G _{DNT} | G x 1% x 1.1 | 59 |
| | Sum | G _{XD} | G ^{XD} + G _{DNT} | 5,944 |
| | Total | G | G ^{XD} x30% | 7,727 |

5. Unit cost of pump

| Item | Unit | Unit cost |
|------|------|---------------|
| Pump | 1 | 1,250,000,000 |

Appendix 6: Cost estimates

| | Sample areas | Symbol | Area (Ha) | Length | | | Note |
|-----------|------------------|--------|--------------|---------------|---------------|----------------|------------------|
| | | | | Total | New make | Retaining wall | |
| I | AN GIANG | | 499 | 21,060 | 15,370 | 5,690 | |
| 1 | LONG XUYỀN 1 | LX1 | 198 | 6,240 | 3,750 | 2,490 | |
| 2 | LONG XUYỀN 2 | LX2 | 170 | 7,460 | 5,990 | 1,470 | |
| 3 | LONG XUYỀN 3 | LX3 | 76 | 4,260 | 3,480 | 780 | |
| 4 | LONG XUYỀN 4 | LX4 | 55 | 3,100 | 2,150 | 950 | |
| II | ĐÔNG THÁP | | 706 | 14,335 | 7,980 | 6,355 | |
| 5 | TAM NÔNG | TN | 336 | 7,980 | 7,980 | - | |
| 6 | SA ĐẾC | SD | 370 | 8,145 | - | 6,355 | Road No80 1,790m |

| | Areas | Symbol | Hpmax (cm) | | | | |
|-----------|------------------|--------|------------|-----|-----|-----|-----|
| | | | 1% | 2% | 5% | 10% | 20% |
| I | AN GIANG | | | | | | |
| 1 | LONG XUYỀN 1 | LX1 | 297 | 290 | 280 | 271 | 261 |
| 2 | LONG XUYỀN 2 | LX2 | 297 | 290 | 280 | 271 | 261 |
| 3 | LONG XUYỀN 3 | LX3 | 297 | 290 | 280 | 271 | 261 |
| 4 | LONG XUYỀN 4 | LX4 | 297 | 290 | 280 | 271 | 261 |
| II | ĐÔNG THÁP | | | | | | |
| 5 | TAM NÔNG | TN | 480 | 470 | 465 | 430 | 415 |
| 6 | SA ĐẾC | SD | 240 | 236 | 230 | 225 | 219 |

| | Areas | Symbol | Crest level (cm) | | | | |
|-----------|------------------|--------|------------------|-----|-----|-----|-----|
| | | | 1% | 2% | 5% | 10% | 20% |
| I | AN GIANG | | | | | | |
| 1 | LONG XUYỀN 1 | LX1 | 397 | 390 | 380 | 371 | 361 |
| 2 | LONG XUYỀN 2 | LX2 | 397 | 390 | 380 | 371 | 361 |
| 3 | LONG XUYỀN 3 | LX3 | 397 | 390 | 380 | 371 | 361 |
| 4 | LONG XUYỀN 4 | LX4 | 397 | 390 | 380 | 371 | 361 |
| II | ĐÔNG THÁP | | | | | | |
| 5 | TAM NÔNG | TN | 580 | 570 | 565 | 530 | 515 |
| 6 | SA ĐẾC | SD | 340 | 336 | 330 | 325 | 319 |

| | Areas | Unit | Frequencies | | | | |
|----------|--------------------------|----------------------|--------------------|--------------------|--------------------|--------------------|-------------------|
| | | | P1% | P2% | P5% | P10% | P20% |
| I | AN GIANG | 1000d | 123,668,391 | 118,327,568 | 110,810,510 | 104,581,205 | 97,571,450 |
| 1 | LONG XUYỀN 1 | 1000d | 45,030,375 | 42,925,650 | 39,970,068 | 37,531,222 | 34,799,735 |
| 1.1 | Dyke parameters | | 197,764 | 190,139 | 179,339 | 170,201 | 159,682 |
| | Length | m | 3,750 | 3,750 | 3,750 | 3,750 | 3,750 |
| | Surface elevation | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest elevation | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m ² | 23.97 | 23.05 | 21.74 | 20.63 | 19.36 |
| | Earth volume | m ³ | 89,893 | 86,427 | 81,518 | 77,364 | 72,583 |
| | Dig volume | m ³ | 107,871 | 103,712 | 97,821 | 92,837 | 87,099 |
| 1.2 | Beton | m³ | 7,895 | 7,450 | 6,826 | 6,312 | 5,737 |
| 1.2.1 | Retaining wall | | 6,225 | 5,827 | 5,271 | 4,816 | 4,309 |
| | Length | m | 2,490 | 2,490 | 2,490 | 2,490 | 2,490 |
| | Road elevation | m | 2.97 | 2.97 | 2.97 | 2.97 | 2.97 |
| | Retainingwall ELV | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of retaining wall | m | 1.00 | 0.93 | 0.83 | 0.74 | 0.64 |
| | Cross section | m ² | 2.50 | 2.34 | 2.12 | 1.93 | 1.73 |
| | Volume | m ³ | 6,225 | 5,827 | 5,271 | 4,816 | 4,309 |
| 1.2.2 | Cover dyke slope | | 1,670 | 1,623 | 1,555 | 1,496 | 1,427 |
| | Length | m | 3,750 | 3,750 | 3,750 | 3,750 | 3,750 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m ² | 0.45 | 0.43 | 0.41 | 0.40 | 0.38 |
| | Volume | m ³ | 1,670 | 1,623 | 1,555 | 1,496 | 1,427 |
| 1.3 | Drainage pump | | | | | | |
| | Areas | ha | 198 | 198 | 198 | 198 | 198 |
| | Number of pump | HTD2400 | 4 | 4 | 4 | 4 | 4 |
| 1.4 | Cost | 1000d | 45,030,375 | 42,925,650 | 39,970,068 | 37,531,222 | 34,799,735 |
| | Dig | 1000d | 767,066 | 737,492 | 695,603 | 660,157 | 619,359 |
| | Earth | 1000d | 694,573 | 667,793 | 629,864 | 597,767 | 560,825 |
| | Beton | 1000d | 25,702,915 | 24,255,894 | 22,224,581 | 20,550,092 | 18,676,769 |
| | Pump | 1000d | 5,000,000 | 5,000,000 | 5,000,000 | 5,000,000 | 5,000,000 |
| | Construction cost | 1000d | 32,164,554 | 30,661,178 | 28,550,049 | 26,808,016 | 24,856,954 |
| | Compensation and settle | 40% XL | 12,865,822 | 12,264,471 | 11,420,019 | 10,723,206 | 9,942,781 |
| | Cost/ha | 1000d/ha | 227,426 | 216,796 | 201,869 | 189,552 | 175,756 |

| | | | | | | | |
|-------|--------------------------|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 2 | LONG XUYEN 2 | 1000d | 39,176,226 | 37,638,709 | 35,470,110 | 33,665,950 | 31,626,992 |
| 2.1 | Dyke parameters | | | | | | |
| | Length | m | 5,990 | 5,990 | 5,990 | 5,990 | 5,990 |
| | Surface elevation | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest elevation | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 23.97 | 23.05 | 21.74 | 20.63 | 19.36 |
| | Earth volume | m3 | 143,588 | 138,052 | 130,211 | 123,576 | 115,939 |
| | Dig volume | m3 | 172,306 | 165,663 | 156,253 | 148,291 | 139,127 |
| 2.2 | Beton | m3 | 6,342 | 6,033 | 5,596 | 5,233 | 4,824 |
| 2.2.1 | Retaining wall | m3 | | | | | |
| | Length | m | 1,470 | 1,470 | 1,470 | 1,470 | 1,470 |
| | Road elevation | m | 2.97 | 2.97 | 2.97 | 2.97 | 2.97 |
| | Retainingwall ELV | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of retaining wall | m | 1.00 | 0.93 | 0.83 | 0.74 | 0.64 |
| | Cross section | m2 | 2.50 | 2.34 | 2.12 | 1.93 | 1.73 |
| | Volume | m3 | 3,675 | 3,440 | 3,112 | 2,843 | 2,544 |
| 2.2.2 | Cover dyke slope | | | | | | |
| | Length | m | 5,990 | 5,990 | 5,990 | 5,990 | 5,990 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 0.45 | 0.43 | 0.41 | 0.40 | 0.38 |
| | Volume | m3 | 2,667 | 2,592 | 2,484 | 2,390 | 2,280 |
| 2.3 | Drainage pump | | | | | | |
| | Areas | ha | 170 | 170 | 170 | 170 | 170 |
| | Number of pump | HTD2400 | 4 | 4 | 4 | 4 | 4 |
| 2.4 | Cost | 1000d | 39,176,226 | 37,638,709 | 35,470,110 | 33,665,950 | 31,626,992 |
| | Dig | 1000d | 1,225,260 | 1,178,020 | 1,111,111 | 1,054,491 | 989,323 |
| | Earth | 1000d | 1,109,464 | 1,066,688 | 1,006,102 | 954,834 | 895,825 |
| | Beton | 1000d | 20,648,295 | 19,640,084 | 18,218,580 | 17,037,783 | 15,705,560 |
| | Pump | 1000d | 5,000,000 | 5,000,000 | 5,000,000 | 5,000,000 | 5,000,000 |
| | Construction cost | 1000d | 27,983,019 | 26,884,792 | 25,335,793 | 24,047,107 | 22,590,708 |
| | Compensation and settle | 40% XL | 11,193,207 | 10,753,917 | 10,134,317 | 9,618,843 | 9,036,283 |
| | Cost/ha | 1000d/ha | 230,448 | 221,404 | 208,648 | 198,035 | 186,041 |
| 3 | LONG XUYEN 3 | 1000d | 21,349,882 | 20,510,495 | 19,325,962 | 18,339,549 | 17,223,593 |
| 3.1 | Dyke parameters | | | | | | |
| | Length | m | 3,480 | 3,480 | 3,480 | 3,480 | 3,480 |
| | Surface elevation | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest elevation | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 23.97 | 23.05 | 21.74 | 20.63 | 19.36 |
| | Earth volume | m3 | 83,420 | 80,204 | 75,649 | 71,794 | 67,357 |
| | Dig volume | m3 | 100,104 | 96,245 | 90,778 | 86,152 | 80,828 |
| 3.2 | Beton | m3 | 3,500 | 3,331 | 3,094 | 2,897 | 2,675 |
| 3.2.1 | Retaining wall | | 1,950 | 1,825 | 1,651 | 1,509 | 1,350 |
| | Length | m | 780 | 780 | 780 | 780 | 780 |
| | Road elevation | m | 2.97 | 2.97 | 2.97 | 2.97 | 2.97 |
| | Retainingwall ELV | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of retaining wall | m | 1.00 | 0.93 | 0.83 | 0.74 | 0.64 |
| | Cross section | m2 | 2.50 | 2.34 | 2.12 | 1.93 | 1.73 |
| | Volume | m3 | 1,950 | 1,825 | 1,651 | 1,509 | 1,350 |
| 3.2.2 | Cover dyke slope | | 1,550 | 1,506 | 1,443 | 1,389 | 1,325 |
| | Length | m | 3,480 | 3,480 | 3,480 | 3,480 | 3,480 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 0.45 | 0.43 | 0.41 | 0.40 | 0.38 |
| | Volume | m3 | 1,550 | 1,506 | 1,443 | 1,389 | 1,325 |
| 3.3 | Drainage pump | | | | | | |
| | Areas | ha | 76 | 76 | 76 | 76 | 76 |
| | Number of pump | HTD2400 | 2 | 2 | 2 | 2 | 2 |
| 3.4 | Cost | 1000d | 21,349,882 | 20,510,495 | 19,325,962 | 18,339,549 | 17,223,593 |
| | Dig | 1000d | 711,837 | 684,392 | 645,520 | 612,626 | 574,766 |
| | Earth | 1000d | 644,563 | 619,712 | 584,514 | 554,728 | 520,446 |
| | Beton | 1000d | 11,393,515 | 10,846,250 | 10,074,225 | 9,432,324 | 8,707,355 |
| | Pump | 1000d | 2,500,000 | 2,500,000 | 2,500,000 | 2,500,000 | 2,500,000 |
| | Construction cost | 1000d | 15,249,916 | 14,650,354 | 13,804,259 | 13,099,678 | 12,302,566 |
| | Compensation and settle | 40% XL | 6,099,966 | 5,860,141 | 5,521,704 | 5,239,871 | 4,921,027 |
| | Cost/ha | 1000d/ha | 280,920 | 269,875 | 254,289 | 241,310 | 226,626 |

| | | | | | | | |
|-------|--------------------------|--------------|--------------------|--------------------|--------------------|-------------------|-------------------|
| 4 | LONG XUYỀN 4 | 1000d | 18,111,907 | 17,252,714 | 16,044,369 | 15,044,483 | 13,921,131 |
| 4.1 | Dyke parameters | | | | | | |
| | Length | m | 2,150 | 2,150 | 2,150 | 2,150 | 2,150 |
| | Surface elevation | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest elevation | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 23.97 | 23.05 | 21.74 | 20.63 | 19.36 |
| | Earth volume | m3 | 51,538 | 49,551 | 46,737 | 44,355 | 41,614 |
| | Dig volume | m3 | 61,846 | 59,462 | 56,084 | 53,226 | 49,937 |
| 4.2 | Beton | m3 | 3,332 | 3,154 | 2,903 | 2,695 | 2,462 |
| 4.2.1 | Retaining wall | m3 | 2,375 | 2,223 | 2,011 | 1,837 | 1,644 |
| | Length | m | 950 | 950 | 950 | 950 | 950 |
| | Road elevation | m | 2.97 | 2.97 | 2.97 | 2.97 | 2.97 |
| | Retainingwall ELV | m | 3.97 | 3.90 | 3.80 | 3.71 | 3.61 |
| | Height of retaining wall | m | 1.00 | 0.93 | 0.83 | 0.74 | 0.64 |
| | Cross section | m2 | 2.50 | 2.34 | 2.12 | 1.93 | 1.73 |
| | Volume | m3 | 2,375 | 2,223 | 2,011 | 1,837 | 1,644 |
| 4.2.2 | Cover dyke slope | m3 | 957 | 930 | 892 | 858 | 818 |
| | Length | m | 2,150 | 2,150 | 2,150 | 2,150 | 2,150 |
| | Height of dyke | m | 2.47 | 2.40 | 2.30 | 2.21 | 2.11 |
| | Cross section | m2 | 0.45 | 0.43 | 0.41 | 0.40 | 0.38 |
| | Volume | m3 | 957 | 930 | 892 | 858 | 818 |
| 4.3 | Drainage pump | | | | | | |
| | Areas | ha | 55 | 55 | 55 | 55 | 55 |
| | Number of pump | HTD2400 | 1 | 1 | 1 | 1 | 1 |
| 4.4 | Cost | 1000d | 18,111,907 | 17,252,714 | 16,044,369 | 15,044,483 | 13,921,131 |
| | Dig | 1000d | 439,784 | 422,828 | 398,813 | 378,490 | 355,099 |
| | Earth | 1000d | 398,222 | 382,868 | 361,122 | 342,720 | 321,540 |
| | Beton | 1000d | 10,849,071 | 10,267,671 | 9,450,329 | 8,774,850 | 8,017,025 |
| | Pump | 1000d | 1,250,000 | 1,250,000 | 1,250,000 | 1,250,000 | 1,250,000 |
| | Construction cost | 1000d | 12,937,077 | 12,323,367 | 11,460,264 | 10,746,060 | 9,943,665 |
| | Compensation and settle | 40% XL | 5,174,831 | 4,929,347 | 4,584,106 | 4,298,424 | 3,977,466 |
| | Cost/ha | 1000d/ha | 329,307 | 313,686 | 291,716 | 273,536 | 253,111 |
| II | ĐÔNG THÁP | 1000d | 111,017,879 | 107,682,786 | 103,946,730 | 97,825,974 | 93,438,550 |
| 5 | TAM NÔNG | 1000d | 47,112,411 | 46,100,619 | 45,596,859 | 42,110,423 | 40,637,600 |
| 1.1 | Dyke parameters | | | | | | |
| | Length | m | 7,980 | 7,980 | 7,980 | 7,980 | 7,980 |
| | Surface elevation | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest elevation | m | 5.80 | 5.70 | 5.65 | 5.30 | 5.15 |
| | Height of dyke | m | 4.30 | 4.20 | 4.15 | 3.80 | 3.65 |
| | Cross section | m2 | 53.54 | 51.66 | 50.73 | 44.46 | 41.88 |
| | Earth volume | m3 | 427,209 | 412,247 | 404,855 | 354,791 | 334,232 |
| | Dig volume | m3 | 512,651 | 494,696 | 485,826 | 425,749 | 401,079 |
| 1.2 | Cover dyke slope | | 6,186 | 6,042 | 5,970 | 5,467 | 5,251 |
| | Length | m | 7,980 | 7,980 | 7,980 | 7,980 | 7,980 |
| | Height of dyke | m | 4.30 | 4.20 | 4.15 | 3.80 | 3.65 |
| | Cross section | m2 | 0.78 | 0.76 | 0.75 | 0.69 | 0.66 |
| | Volume | m3 | 6,186 | 6,042 | 5,970 | 5,467 | 5,251 |
| 1.3 | Drainage pump | | | | | | |
| | Areas | ha | 336 | 336 | 336 | 336 | 336 |
| | Number of pump | HTD2400 | 5 | 5 | 5 | 5 | 5 |
| 1.4 | Cost | 1000d | 47,112,411 | 46,100,619 | 45,596,859 | 42,110,423 | 40,637,600 |
| | Dig | 1000d | 3,961,100 | 3,822,367 | 3,753,833 | 3,289,633 | 3,099,014 |
| | Earth | 1000d | 3,300,916 | 3,185,306 | 3,128,194 | 2,741,361 | 2,582,512 |
| | Beton | 1000d | 20,139,706 | 19,671,341 | 19,437,158 | 17,797,880 | 17,095,332 |
| | Pump | 1000d | 6,250,000 | 6,250,000 | 6,250,000 | 6,250,000 | 6,250,000 |
| | Construction cost | 1000d | 33,651,722 | 32,929,013 | 32,569,185 | 30,078,873 | 29,026,857 |
| | Compensation and settle | 40% XL | 13,460,689 | 13,171,605 | 13,027,674 | 12,031,549 | 11,610,743 |
| | Cost/ha | 1000d/ha | 140,216 | 137,204 | 135,705 | 125,329 | 120,945 |

| | | | | | | | |
|------------|--------------------------|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| 6 | SA ĐỀC | | | | | | |
| | 1000d | | 63,905,468 | 61,582,167 | 58,349,871 | 55,715,551 | 52,800,950 |
| 6.1 | Retaining wall | | | | | | |
| 6.1.1 | Length | m | 6,355 | 6,355 | 6,355 | 6,355 | 6,355 |
| 6.1.2 | Road elevation | m | 2.70 | 2.70 | 2.70 | 2.70 | 2.70 |
| 6.1.3 | Retainingwall ELV | m | 3.40 | 3.36 | 3.30 | 3.25 | 3.19 |
| 6.1.4 | Height of retaining wall | m | 0.70 | 0.66 | 0.60 | 0.55 | 0.50 |
| 6.1.5 | Cross section | m2 | 1.84 | 1.76 | 1.65 | 1.56 | 1.46 |
| 6.1.6 | Volume | m3 | 11,717 | 11,207 | 10,498 | 9,920 | 9,281 |
| 6.2 | Pumping station | | | | | | |
| | Areas | ha | 370 | 370 | 370 | 370 | 370 |
| | Number of pump | HTD2400 | 6 | 6 | 6 | 6 | 6 |
| 6.3 | Kinh phi | | 63,905,468 | 61,582,167 | 58,349,871 | 55,715,551 | 52,800,950 |
| | Beton | 1000d | 38,146,763 | 36,487,262 | 34,178,479 | 32,296,822 | 30,214,964 |
| | Pump | 1000d | 7,500,000 | 7,500,000 | 7,500,000 | 7,500,000 | 7,500,000 |
| | Construction cost | 1000d | 45,646,763 | 43,987,262 | 41,678,479 | 39,796,822 | 37,714,964 |
| | Compensation and settle | 40%XL | 18,258,705 | 17,594,905 | 16,671,392 | 15,918,729 | 15,085,986 |
| | Cost/ha | 1000d/ha | 172,717.48 | 166,438.29 | 157,702.35 | 150,582.57 | 142,705.27 |

| | | | | | | | |
|------------|-------------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| 7 | CÁI BÈ | | | | | | |
| 7.1 | Dyke parameters | | | | | | |
| | Length | m | 14,000 | 14,000 | 14,000 | 14,000 | 14,000 |
| | Surface ELV | (m) | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| | Crest ELV | m | 3.25 | 3.15 | 3.10 | 3.05 | 3.00 |
| | Average cross section | m2 | 8.52 | 7.67 | 7.25 | 6.84 | 6.44 |
| | Earth volume | m3 | 119,280 | 107,380 | 101,500 | 95,760 | 90,160 |
| | Dig volume | m3 | 143,136 | 128,856 | 121,800 | 114,912 | 108,192 |
| 7.2 | Cost | 1000d | 2,838,652 | 2,555,453 | 2,415,520 | 2,278,918 | 2,145,648 |
| | Earth | 1000d | 921,640 | 829,693 | 784,260 | 739,908 | 696,639 |
| | Dig | 1000d | 1,105,968 | 995,631 | 941,112 | 887,890 | 835,967 |
| | Construction cost | 1000d | 2,027,609 | 1,825,324 | 1,725,371 | 1,627,799 | 1,532,606 |
| | Compensation and settle | 40%XL | 811,043 | 730,130 | 690,148 | 651,119 | 613,042 |
| | Cost/ha | 1000d/ha | 2,838.65 | 2,555.45 | 2,415.52 | 2,278.92 | 2,145.65 |

| | | | | | | | |
|------------|-------------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| 8 | TÂN HỒNG | | | | | | |
| 8.1 | Dyke parameters | | | | | | |
| | Length | m | 14,000 | 14,000 | 14,000 | 14,000 | 14,000 |
| | Surface ELV | (m) | 2.00 | 2.00 | 2.00 | 2.00 | 2.00 |
| | Crest ELV | m | 4.80 | 4.40 | 4.20 | 4.00 | 3.90 |
| | Average cross section | m2 | 13.26 | 9.34 | 7.59 | 5.93 | 5.15 |
| | Earth volume | m3 | 185,640 | 130,760 | 106,260 | 83,020 | 72,100 |
| | Dig volume | m3 | 222,768 | 156,912 | 127,512 | 99,624 | 86,520 |
| | Cost | 1000d | 4,417,902 | 3,111,856 | 2,528,799 | 1,975,729 | 1,715,852 |
| | Earth | 1000d | 1,434,384 | 1,010,343 | 821,039 | 641,470 | 557,095 |
| | Dig | 1000d | 1,721,261 | 1,212,411 | 985,246 | 769,764 | 668,514 |
| | Construction cost | 1000d | 3,155,644 | 2,222,754 | 1,806,285 | 1,411,235 | 1,225,609 |
| | Compensation and settle | 40%XL | 1,262,258 | 889,102 | 722,514 | 564,494 | 490,243 |
| | Cost/ha | 1000d/ha | 4,417.90 | 3,111.86 | 2,528.80 | 1,975.73 | 1,715.85 |

| | | | | | | | |
|------------|-------------------------|-----------------|------------------|------------------|------------------|------------------|------------------|
| 9 | CHÂU PHÚ | | | | | | |
| 9.1 | Dyke parameters | | | | | | |
| | Length | m | 14,000 | 14,000 | 14,000 | 14,000 | 14,000 |
| | Surface ELV | (m) | 1.50 | 1.50 | 1.50 | 1.50 | 1.50 |
| | Crest ELV | m | 3.70 | 3.40 | 3.20 | 3.10 | 3.00 |
| | Average cross section | m2 | 9.46 | 7.03 | 5.56 | 4.86 | 4.2 |
| | Earth volume | m3 | 132,440 | 98,420 | 77,840 | 68,040 | 58,800 |
| | Dig volume | m3 | 158,928 | 118,104 | 93,408 | 81,648 | 70,560 |
| | Cost | 1000d | 3,151,837 | 2,342,221 | 1,852,454 | 1,619,231 | 1,399,336 |
| | Earth | 1000d | 1,023,324 | 760,461 | 601,446 | 525,724 | 454,330 |
| | Dig | 1000d | 1,227,988 | 912,554 | 721,735 | 630,869 | 545,196 |
| | Construction cost | 1000d | 2,251,312 | 1,673,015 | 1,323,181 | 1,156,594 | 999,525 |
| | Compensation and settle | 40%XL | 900,525 | 669,206 | 529,272 | 462,637 | 399,810 |
| | Cost/ha | 1000d/ha | 3,151.84 | 2,342.22 | 1,852.45 | 1,619.23 | 1,399.34 |

MRC Flood Management and Mitigation Programme Component 2: Structural Measures and Flood Proofing

Tổng hợp khối lượng của các vùng bao theo tần suất Hmax

| | Vùng bao | Đơn vị | Tần suất Hmax | | | | |
|----------|------------------------|-----------|----------------|----------------|----------------|----------------|----------------|
| | | | 1% | 2% | 5% | 10% | 20% |
| 1 | Long Xuyen City | m3 | 714,929 | 687,127 | 647,758 | 614,466 | 576,178 |
| 1.1 | Earth | m3 | 368,440 | 354,234 | 334,115 | 317,089 | 297,493 |
| 1.2 | Dig | m3 | 442,128 | 425,081 | 400,937 | 380,507 | 356,991 |
| 1.3 | Beton | m3 | 21,069 | 19,968 | 18,419 | 17,138 | 15,698 |
| 1.4 | Pump HTD 2400 | cái | 11 | 11 | 11 | 11 | 11 |
| 1.1 | LX 1 | m3 | | | | | |
| 1.1.1 | Earth | m3 | 89,893 | 86,427 | 81,518 | 77,364 | 72,583 |
| 1.1.2 | Dig | m3 | 107,871 | 103,712 | 97,821 | 92,837 | 87,099 |
| 1.1.3 | Beton | m3 | 7,895 | 7,450 | 6,826 | 6,312 | 5,737 |
| 1.1.4 | Pump HTD 2400 | | 4 | 4 | 4 | 4 | 4 |
| 1.2 | LX 2 | m3 | | | | | |
| 1.2.1 | Earth | m3 | 143,588 | 138,052 | 130,211 | 123,576 | 115,939 |
| 1.2.2 | Dig | m3 | 172,306 | 165,663 | 156,253 | 148,291 | 139,127 |
| 1.2.3 | Beton | m3 | 6,342 | 6,033 | 5,596 | 5,233 | 4,824 |
| 1.2.4 | Pump HTD 2400 | | 4 | 4 | 4 | 4 | 4 |
| 1.3 | LX 3 | m3 | | | | | |
| 1.3.1 | Earth | m3 | 83,420 | 80,204 | 75,649 | 71,794 | 67,357 |
| 1.3.2 | Dig | m3 | 100,104 | 96,245 | 90,778 | 86,152 | 80,828 |
| 1.3.3 | Beton | m3 | 3,500 | 3,331 | 3,094 | 2,897 | 2,675 |
| 1.3.4 | Pump HTD 2400 | | 2 | 2 | 2 | 2 | 2 |
| 1.4 | LX 4 | m3 | | | | | |
| 1.4.1 | Earth | m3 | 51,538 | 49,551 | 46,737 | 44,355 | 41,614 |
| 1.4.2 | Dig | m3 | 61,846 | 59,462 | 56,084 | 53,226 | 49,937 |
| 1.4.3 | Beton | m3 | 3,332 | 3,154 | 2,903 | 2,695 | 2,462 |
| 1.4.4 | Pump HTD 2400 | | 1 | 1 | 1 | 1 | 1 |
| 2 | Tam Nông | m3 | | | | | |
| 2.1 | Earth | m3 | 427,209 | 412,247 | 404,855 | 354,791 | 334,232 |
| 2.2 | Dig | m3 | 512,651 | 494,696 | 485,826 | 425,749 | 401,079 |
| 2.3 | Beton | m3 | 6,186 | 6,042 | 5,970 | 5,467 | 5,251 |
| 2.4 | Pump HTD 2400 | | 5 | 5 | 5 | 5 | 5 |
| 3 | Sa Đéc | m3 | | | | | |
| 3.1 | Earth | m3 | - | - | - | - | - |
| 3.2 | Dig | m3 | - | - | - | - | - |
| 3.3 | Beton | m3 | 11,717 | 11,207 | 10,498 | 9,920 | 9,281 |
| 3.4 | Pump HTD 2400 | | 6 | 6 | 6 | 6 | 6 |
| 4 | Cái bè | m3 | | | | | |
| 4.1 | Earth | m3 | 119,280 | 107,380 | 101,500 | 95,760 | 90,160 |
| 4.2 | Dig | m3 | 143,136 | 128,856 | 121,800 | 114,912 | 108,192 |
| 4.3 | Bê tôn | m3 | - | - | - | - | - |
| 5 | Tân Hồng | m3 | | | | | |
| 5.1 | Earth | m3 | 185,640 | 130,760 | 106,260 | 83,020 | 72,100 |
| 5.2 | Dig | m3 | 222,768 | 156,912 | 127,512 | 99,624 | 86,520 |
| 5.3 | Bê tôn | m3 | - | - | - | - | - |
| 6 | Châu Phú | m3 | | | | | |
| 6.1 | Earth | m3 | 132,440 | 98,420 | 77,840 | 68,040 | 58,800 |
| 6.2 | Dig | m3 | 158,928 | 118,104 | 93,408 | 81,648 | 70,560 |
| 6.3 | Bê tôn | m3 | - | - | - | - | - |

MRC Flood Management and Mitigation Programme Component 2: Structural Measures and Flood Proofing

Collective investment cost for sample areas correlative with frequencies

| | Areas | Unit | Frequencies | | | | |
|----------|-----------------------|--------------|--------------------|--------------------|--------------------|--------------------|-------------------|
| | | | VND | 1% | 2% | 5% | 10% |
| 1 | Tp. Long Xuyên | 1000đ | 123,668,391 | 118,327,568 | 110,810,510 | 104,581,205 | 97,571,450 |
| 1.1 | LX 1 | 1000đ | 45,030,375 | 42,925,650 | 39,970,068 | 37,531,222 | 34,799,735 |
| 1.2 | LX 2 | 1000đ | 39,176,226 | 37,638,709 | 35,470,110 | 33,665,950 | 31,626,992 |
| 1.3 | LX 3 | 1000đ | 21,349,882 | 20,510,495 | 19,325,962 | 18,339,549 | 17,223,593 |
| 1.4 | LX 4 | 1000đ | 18,111,907 | 17,252,714 | 16,044,369 | 15,044,483 | 13,921,131 |
| 2 | Tam Nông | 1000đ | 47,112,411 | 46,100,619 | 45,596,859 | 42,110,423 | 40,637,600 |
| 3 | Sa Đéc | 1000đ | 63,905,468 | 61,582,167 | 58,349,871 | 55,715,551 | 52,800,950 |
| 4 | Cái bè | 1000đ | 2,838,652 | 2,555,453 | 2,415,520 | 2,278,918 | 2,145,648 |
| 5 | Tân Hồng | 1000đ | 4,417,902 | 3,111,856 | 2,528,799 | 1,975,729 | 1,715,852 |
| 6 | Châu Phú | 1000đ | 3,151,837 | 2,342,221 | 1,852,454 | 1,619,231 | 1,399,336 |

Unit investment cost correlative with frequencies

Ty giá

17,000.00

| | Vùng | Đơn vị | Frequencies | | | | |
|----------|----------------------|-----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 1% | 2% | 5% | 10% | 20% |
| 1 | TP.Long Xuyên | 1000đ/ha | 247,832 | 237,129 | 222,065 | 209,582 | 195,534 |
| 1.1 | LX1 | 1000đ/ha | 227,426 | 216,796 | 201,869 | 189,552 | 175,756 |
| 1.2 | LX2 | 1000đ/ha | 230,448 | 221,404 | 208,648 | 198,035 | 186,041 |
| 1.3 | LX3 | 1000đ/ha | 280,920 | 269,875 | 254,289 | 241,310 | 226,626 |
| 1.4 | LX4 | 1000đ/ha | 329,307 | 313,686 | 291,716 | 273,536 | 253,111 |
| 2 | Tam Nông | 1000đ/ha | 140,216 | 137,204 | 135,705 | 125,329 | 120,945 |
| 3 | Sa Đéc | 1000đ/ha | 172,717 | 166,438 | 157,702 | 150,583 | 142,705 |
| 4 | Cái bè | 1000đ/ha | 2,839 | 2,555 | 2,416 | 2,279 | 2,146 |
| 5 | Tân Hồng | 1000đ/ha | 4,418 | 3,112 | 2,529 | 1,976 | 1,716 |
| 6 | Châu Phú | 1000đ/ha | 3,152 | 2,342 | 1,852 | 1,619 | 1,399 |

Theo USD

| | | | | | | | |
|----------|----------------------|---------------|------------------|------------------|------------------|------------------|------------------|
| 1 | TP.Long Xuyên | USD/ha | 14,578.38 | 13,948.79 | 13,062.66 | 12,328.33 | 11,502.00 |
| 1.1 | LX1 | USD/ha | 13,378.01 | 12,752.72 | 11,874.65 | 11,150.10 | 10,338.60 |
| 1.2 | LX2 | USD/ha | 13,555.79 | 13,023.77 | 12,273.39 | 11,649.12 | 10,943.60 |
| 1.3 | LX3 | USD/ha | 16,524.68 | 15,875.00 | 14,958.18 | 14,194.70 | 13,330.95 |
| 1.4 | LX4 | USD/ha | 19,371.02 | 18,452.10 | 17,159.75 | 16,090.36 | 14,888.91 |
| 2 | Tam Nông | USD/ha | 8,247.97 | 8,070.84 | 7,982.64 | 7,372.27 | 7,114.43 |
| 3 | Sa Đéc | USD/ha | 10,159.85 | 9,790.49 | 9,276.61 | 8,857.80 | 8,394.43 |
| 4 | Cái bè | USD/ha | 166.98 | 150.32 | 142.09 | 134.05 | 126.21 |
| 5 | Tân Hồng | USD/ha | 259.88 | 183.05 | 148.75 | 116.22 | 100.93 |
| 6 | Châu Phú | USD/ha | 185.40 | 137.78 | 108.97 | 95.25 | 82.31 |